

City of Goshen

Flood Resilience Plan

DECEMBER 2021

DRAFT FOR REVIEW

Prepared for:

City of Goshen
Department of Environmental Resilience
Rieth Interpretive Center
410 West Plymouth Avenue
Goshen IN 46526

Prepared by:

Christopher B. Burke Engineering, LLC
115 W. Washington St., Ste. 1368 S.
Indianapolis, IN 46204

Burke Project No. 19.R200137.00000



TABLE OF CONTENTS

Executive Summary	iv
Glossary of Key Terms	v
CHAPTER 1: Introduction and Background	1
CHAPTER 2: About the City of Goshen	3
CHAPTER 3: Summary of Flooding and Flood Studies	4
3.1 STORMWATER DRAINAGE STUDIES AND PROJECTS	6
3.2 FLOOD RISK REVIEW / RISKMAP STUDY	6
3.3 ST. JOSEPH WATERSHED FLOOD RISK REPORT	7
3.4 CLIMATE ACTION PLAN	7
3.5 VULNERABILITY ASSESSMENT FOR STORMWATER.....	7
3.6 FLOOD FACTOR ANALYSIS.....	9
3.7 NORTH BRANCH ELKHART RIVER FLOOD RISK MANAGEMENT PLAN	9
CHAPTER 4: Overview of the Planning Process	10
4.1 REVIEW AND CONSOLIDATION OF FLOOD-RELATED DATA	10
4.2 GUIDANCE FROM THE PROJECT TEAM.....	10
4.3 DEFINE FLOOD RESILIENCE PLANNING AREAS	11
4.4 DEVELOP FLOOD RESILIENCE STRATEGIES	13
CHAPTER 5: Overall Strategies for Flood Resilience	14
5.1 UPDATE STORMWATER ORDINANCE AND CONDUCT TRAINING.....	14
5.2 IMPROVE FLOOD RISK COMMUNICATION AND EDUCATION	15
5.3 CONDUCT REGULAR AUDITS OF PLANS, PROGRAMS AND POLICIES	15
5.4 UPDATE THE CITY CODE AND ZONING ORDINANCE.....	15
5.5 UPDATE THE STORMWATER UTILITY FEE	17
5.6 INTEGRATE FLOOD RESILIENCE INTO THE COMPREHENSIVE PLAN	18
5.7 INCLUDE FLOOD RESILIENCE IN CAPITAL PROJECTS	18
5.8 IMPLEMENT THE MHMP FLOOD MITIGATION MEASURES	19
CHAPTER 6: Strategies for Flood Resilience Planning Areas	21
6.1 RIVER CORRIDOR IMPACT AREA.....	21
6.2 UNDEVELOPED HIGH FLOOD HAZARD/FLOOD STORAGE AREA	24
6.3 MODERATE FLOOD HAZARD AREA	25
6.4 VULNERABLE DEVELOPED AREA.....	27
6.5 SAFER AREAS	32

6.6	WATERSHED	34
CHAPTER 7:	Implementation Checklist	38
7.1	COMPREHENSIVE PLAN.....	38
7.2	ORDINANCES AND CODES	38
7.3	CAPITAL PROJECTS	39
7.4	COMMUNICATION, EDUCATION AND TRAINING.....	39
7.5	SUPPORTING EFFORTS AND PARTNERSHIPS	40
	Sources Referenced	42

LIST OF FIGURES

Figure 1-1:	Observed Change in Heavy Precipitation 1958 - 2016.....	1
Figure 1-2:	Change in Annual Average Precipitation 1895 - 2016	1
Figure 2-1:	City of Goshen and Flood Risk Areas	3
Figure 3-1:	Stream Gage Reading during the February 2018 Flood in Goshen.....	4
Figure 3-2:	Flooding on Lincoln Avenue and Linway Plaza	5
Figure 3-3:	Flooding at Creekside Estates Mobile Home Park	5
Figure 3-4:	Location of Vulnerable System Components	8
Figure 3-5:	Flood Vulnerability Indicators.....	8
Figure 3-6:	Properties at Risk to Flooding	9
Figure 4-1:	Flood Resilience Planning Areas	12
Figure 5-1:	Installation of Permeable Paver System in Goshen	14
Figure 5-2:	Tree-lined Street in Goshen.....	16
Figure 5-3:	Illustration of Mill Race Pavilion and Floodplain Open Space	18
Figure 6-1:	River Corridor Impact Area	21
Figure 6-2:	Floodway and Fluvial Erosion Hazard Areas.....	22
Figure 6-3:	Parks in the River Corridor Impact Area.....	23
Figure 6-4:	Undeveloped Land in the Floodway Fringe	24
Figure 6-5:	Illustration of Compensatory Storage	25
Figure 6-6:	Moderate Flood Hazard Area	26
Figure 6-7:	Vulnerable Development Area.....	27
Figure 6-8:	Example of Flood Safe Routes from a Flood Response Plan	29
Figure 6-9:	Example of Compliance with Flood Ordinance Requirements	31

Figure 6-10: Safer Areas for Growth and Development	32
Figure 6-11: Illustration Comparing traditional and Conservation Design Approach....	33
Figure 6-12: Elkhart River Watershed	35
Figure 6-13: Cover Crops Increase Water Storage in Soil	36

LIST OF TABLES

Table 3-1: Estimated Potential Losses for the City of Goshen	7
Table 4-1: Project Team List and Affiliation	11
Table 4-2: Flood Resilience Planning Areas	12
Table 6-1: Structures in the SFHA	28

LIST OF EXHIBITS

Exhibit 1: Flood Resilience Planning Areas

APPENDICES

APPENDIX 1:	PROJECT TEAM MEETING SUMMARIES, WORKSHEETS AND PRESENTATION
APPENDIX 2:	BLANK FLOOD RESILIENCE STRATEGIES CHECKLIST
APPENDIX 3:	LIST OF EDUCATION RESOURCES FOR RISK COMMUNICATION AND OUTREACH
APPENDIX 4:	LIST OF LAND TRUSTS, AGENCIES AND COST-SHARE PROGRAMS
APPENDIX 5:	IMPLEMENTATION GUIDANCE

EXECUTIVE SUMMARY

Many communities in Indiana and across the United States have experienced damages from flooding. Despite the use of expensive, engineered solutions to reduce flooding risk such as elevating buildings and constructing levees, flood damage losses continue to increase. Moreover, climate change projections suggest that floods will intensify in most regions of the United States, especially in the Midwest and Northeast. These trends are creating a sense of urgency among communities to look for better ways to deal with flooding and build flood resilience, particularly in states like Indiana that are expected to experience increased flooding in the future. Flood resilience is the ability to prepare and plan for, absorb, recover from, and more successfully adapt to adverse flood events.

This flood resilience plan identifies smart growth strategies to improve flood resilience in the City of Goshen. The approach is two-pronged. The first uses land-use planning policies to direct growth, economic development, and capital improvement projects to areas that are less vulnerable to flooding. This will help to prevent the problem from spreading and getting worse. The second is to implement projects to protect the people and critical assets that already exist in the vulnerable flood risk areas. This planning effort may challenge local leaders, decision-makers, and stakeholders to think differently about how to grow and develop while at the same time become resilient to the floods that have previously devastated the City of Goshen. This approach recognizes that the city may not be able to mitigate the increasing extreme rainfall events we have been experiencing from climate change and which are forecasted to further intensify into the foreseeable future. The plan does, however, emphasize strategies to adapt to the unavoidable climate change impacts through adoption and implementation of appropriate flood resilience strategies. This will result in the most immediately achievable and sustainable positive outcome for the city.

The flood resilience strategies are grouped by overall, citywide strategies and into six different planning area defined by the geographic regions of a river valley. Overall, citywide strategies include updating and synchronizing plans, policies and regulations. These consist of enhancements to the comprehensive plan, zoning ordinance, city code, and stormwater ordinance. Improving risk communication, education and outreach is discussed, as well as, evaluating the effectiveness of the stormwater utility to fund capital projects.

The six flood resilience areas consist of 1) the river corridor impact area which is the floodway and/or fluvial erosion hazard area, whichever is larger; 2) the undeveloped high hazard/flood storage area defined as the undeveloped land in the floodway fringe; 3) the moderate flood hazard area which incorporates the 0.2% annual exceedance probability or 500-year flood zone; 4) the vulnerable developed area comprised of existing developed land in the special flood hazard area; 5) the safer area outside the floodplain all together and within the city's planning jurisdiction; and 6) the watershed or entire drainage area.

The flood resilience strategies identified for the six flood resilience planning areas include protecting open, undeveloped land in the river corridor and floodway fringe and, where development is unavoidable in the floodway fringe, require compensatory flood storage. Strategies for vulnerable developed areas include preparing a flood response plan and stormwater master plan. As well as relocating and/or buying out structures, floodproofing and bringing nonconforming uses into compliance. This plan guides growth and development, and critical facilities, to safer areas, outside known flood hazard areas and encourages cooperation and partnerships throughout the watershed to slow, spread and infiltrate floodwater.

GLOSSARY OF KEY TERMS

Flood Insurance Rate Map (FIRM) – the map produced for a community participating in the National Flood Insurance Program that has been officially adopted by that community. The flood zones and Base Flood Elevations (BFEs) shown on the FIRM are used to determine flood insurance rates and requirements. Communities also use the FIRM to manage development and make floodplain management decisions. The adopted map is called the Effective FIRM or regulatory flood map. A Preliminary FIRM includes new or revised flood data and is for review and guidance only.

Floodway – the channel of a river or stream and those portions of the floodplains adjoining the channel which are reasonably required to efficiently carry and discharge the peak flood flow of the regulatory flood of any river or stream.

Floodway Fringe – the portion of the regulatory floodplain lying outside the floodway.

Indiana Best Available Floodplain Mapping – DNR has determined base flood elevations and floodplain boundaries for previously unstudied Approximate Zone A streams. This information is used statewide to supplement community adopted FIRMs.

Fluvial Erosion Hazard (FEH) Area - the area of the stream and land adjacent to the stream where stream processes may occur that enable the stream to re-establish and maintain a stable slope and dimensions over time. FEH area boundaries attempt to capture lands most vulnerable to fluvial erosion in the near term and indicate the type, magnitude, and frequency of fluvial adjustments anticipated during flood events.

National Flood Insurance Program (NFIP) – FEMA program that provides flood insurance to property owners. The NFIP works with communities to adopt and enforce floodplain management regulations that help mitigation flooding effect.

Special Flood Hazard Area (SFHA) – the land defined on the flood insurance rate map subject to inundation by the one percent annual chance or regulatory flood (also known as the 100-year flood). These areas are shown on the maps as Zone AE, AH, AO, A.

1% Annual Exceedance Probability (AEP) – the flood that has a one percent chance of being equaled or exceeded in any given year. Any flood zone that begins with the letter A is subject to the one percent annual chance flood. Also referred to as the 100-year flood.

0.2% Annual Exceedance Probability (AEP) – the flood that has a 0.2 percent chance of being equaled or exceeded in a given year. The area shown on the FIRM that is outside the SFHA and labeled Zone X (unshaded). Also referred to as the 500-year flood.

CHAPTER 1: INTRODUCTION AND BACKGROUND

Many communities in Indiana and across the United States have experienced damages from flooding. Despite the use of expensive, engineered solutions to reduce flooding risk such as elevating buildings and constructing levees, flood damage losses continue to increase. Moreover, climate change projections suggest that floods will intensify, especially in the Midwest and Northeast. According to a 2018 National Climate Assessment report, the Midwest has experienced a greater increase in extreme precipitation over the past few decades than most other regions in the United States; between 1958 and 2016, the Midwest saw a 42% percent increase in the amount of precipitation from very heavy events (**Figure 1-1**).

A recent study from the Indiana Climate Change Impact Assessment (INCCIA) reported an increase in annual precipitation of 4.8 inches in north central Indiana from 1895 to 2016 (**Figure 1-2**). Over the next 30 years, the pace of this increase is predicted to quicken; annual precipitation is expected to increase an additional 6-8%. It is also predicted that Indiana will experience a 25% increase in winter precipitation and 20% increase in the spring, and a 5% decrease in the summer and fall precipitation. Additional precipitation in the winter and spring, when the ground is frozen and trees are dormant, will increase runoff and the risk of flooding.




Figure 1-1: Observed Change in Heavy Precipitation 1958 - 2016




Figure 1-2: Change in Annual Average Precipitation 1895 - 2016

The most extreme rainfall events, defined by the top 1% daily total rainfall occurrences on record, are occurring more frequently and trending to continue in doing so. The INCCIA estimates that a one-to two-day increase in the average number of days per year with extreme precipitation is likely. Regional observations have also indicated more intense storms, and an increase in the amount of rain falling during these extreme events.

These trends are creating a sense of urgency among communities to look for better ways to deal with flooding and build flood resilience, particularly in states like Indiana that are expected to experience increased flooding in the future. As used in this report, flood resilience is the ability to prepare and plan for, absorb, recover from, and more successfully adapt to adverse flood events.

In 2014, the U.S. Environmental Protection Agency (EPA) Office of Sustainable Communities, in partnership with the Federal Emergency Management Agency (FEMA), published a report entitled: "Planning for Recovery and Long-Term Resilience in Vermont". This report, which includes smart growth approaches for disaster-resilient

communities, describes a process through which communities could achieve flood resiliency through auditing, updating, integrating, and revising their plans, policies, and regulations as well as adopting and implementing specific land use policies. The concept and methodologies used in that report, including a flood resilience checklist, was subsequently utilized and further modified and refined by Christopher B. Burke Engineering, LLC (Burke) for use in Indiana.

The purpose of this plan is to explore smart growth strategies to improve flood resilience. The approach is two-pronged. The first uses land-use planning policies to direct growth, economic development, and capital improvement projects to safer areas that are less vulnerable to flooding. This will help to prevent the problem from spreading and getting worse. The second is to implement projects to protect the people and critical assets that already exist in the vulnerable flood risk areas. This planning effort may challenge local leaders, decision-makers, and stakeholders to think differently about how to grow and develop while at the same time become resilient to the floods that have previously devastated the City of Goshen and other communities in Indiana.

The two-pronged approach noted above recognizes that we, as a nation or globally, may not be able to mitigate the increasing extreme rainfall events we have been experiencing because of climate change and which are forecasted to further intensify into the foreseeable future. That realization would force the communities to select one of the following three paths:

1. **Flooding Source Mitigation:** Secure major funding, allocate, and spend the ever-increasing necessary funds to try to reduce the flooding through major structural projects such as flow diversion, flood control facilities, or levees (if even effective or feasible without adverse impacts to others downstream or upstream).
2. **Adaptation:** Adapt to these unavoidable climate change impacts by adopting and implementing appropriate flood resilience strategies (which may include small scale structural measures to protect assets and buildings).
3. **Do Nothing/Status Quo:** Suffer the consequences of ignoring the previous two options and brace for more devastation and economic uncertainty.

Focusing on adaptation, path number two, which promises to result in the most immediately achievable and sustainable positive outcome for the city, this flood resilience plan provides background on the city, a summary of past flood studies, an overview of this planning process, a set of overall and geographically specific resilience strategies, and recommended flood resilience implementation measures for the City of Goshen.

CHAPTER 2: ABOUT THE CITY OF GOSHEN

The City of Goshen is in north central Indiana and serves as the county seat of Elkhart County. This 18 square mile city is home to 34,517 people. The city is located southeast of the City of South Bend and the City of Elkhart near the Indiana-Michigan state line. The city appropriately promotes itself with the tagline an “uncommonly great” place to live, study, work or visit. It is home to Goshen College, a private university known for leadership in intercultural and international education, sustainability and social justice.

Maintaining a healthy population of residents and businesses is important to the social and economic stability of any community, and Goshen is no exception. This challenge is even greater for Goshen with approximately 10% of the city is in a flood risk area. As shown in **Figure 2-1**, Elkhart River enters the city from the south and meanders through the city before merging with Rock Run Creek on the east side. The geometry of these watercourses, along with low-lying elevations, encroachment from neighboring land uses, stretched with limited riparian cover, and eroding streambanks all contribute to the flooding problems present in the city. To compound the problem, the City of Goshen is located downstream of a large watershed.




Figure 2-1: City of Goshen and Flood Risk Areas

CHAPTER 3: SUMMARY OF FLOODING AND FLOOD STUDIES

The impetus for the preparation of this plan was the widespread flood-related damage that Goshen and the surrounding areas sustained in February 2018, resulting from approximately ten inches of snow accumulation in early February followed by unusually warm weather and a record-breaking five inches of rainfall a few weeks later. According to the National Weather Service (NWS), the local geology was primed for a big flood. Ten inches of snow equates to about 1 to 1.5 inches of melted water causing the ground to become saturated and local river levels to rise. The five inches of rainfall was the heaviest recorded in a

three-day period for any one month since the early 1900s. Compound this with the time of year in February when vegetation is dormant and less effective at absorbing or reducing runoff.

The NWS Advance Hydrologic Prediction Service (AHPS) co-located at the Elkhart River at Goshen United States Geological Survey (USGS) stream gage indicated that on February 21, 2018, the Elkhart River (at Goshen) crested at 12.49 feet, as shown on **Figure 3-1**. Later the NWS confirmed the crest was 12.53 feet which set a




Figure 3-1: Stream Gage Reading during the February 2018 Flood in Goshen

new flood record for this gage. Figure 3-1 shows how the flood event escalated quickly in about 48 hours from below action stage to a major flood stage. Historic crest data for this gage date back to the 1930s. Since that time, there have only been three other major stage floods recorded and all within the last 40 years. These include:

- 11.94 feet on 3/14/1982
- 11.87 feet on 2/24/1985
- 11.03 feet on 12/30/1990

While the flood of February 2018 was not the first flood to impact Goshen, the extent and severity of flooding was widespread and unprecedented. As shown in **Figure 3-2** and **Figure 3-3**, numerous buildings were damaged, streets overtopped, neighborhoods evacuated and businesses forced to close. The mayor declared a state of emergency and the county commissioners recognized the situation was beyond local response capabilities and issued a disaster declaration for Elkhart County, the City of Goshen and the City of Elkhart. Travel advisories were issued to limit traffic on flooded roads. The February 2018 flood became a catalyst for the City of Goshen to think differently about flood preparedness and mitigation. In a statement from the mayor, he expressed the need for the city to find ways to be more adaptable to flooding in the future.

A large concern is that the flooding could get worse. The greatest impact may be from the increase in heavy rainfall. As noted earlier, the 2018 National Climate Assessment shows that in the Midwest areas, the heaviest 1% of all daily rainfalls has increased by 42% from 1958 to 2016, and that trend is predicted to continue. The effects of an increase in heavy rainfall can also be seen in interior drainage issues and urban flooding. Large areas of impervious cover increase stormwater runoff volume and velocity to infrastructure that was not designed for these more intense and frequent storms. Also impacted are the areas upstream in the watershed. Changing farm practices and the continued draining of depressional areas. These modifications contribute to increased stream flow and flooding. While elimination of flooding may not be a near term possibility, there are ways, including non-structural alternatives, to at least prevent it from becoming worse and increase the City of Goshen's resiliency to flooding. The following summarizes recent studies and reports that relate to stormwater and flooding.



Figure 3-2: Flooding on Lincoln Avenue and Linway Plaza



Figure 3-3: Flooding at Creekside Estates Mobile Home Park

3.1 STORMWATER DRAINAGE STUDIES AND PROJECTS

Stormwater drainage studies and projects are completed to protect life and property against flooding and to meet regulatory requirements. These studies are often in response to a flooding or stormwater drainage problem. The following are recently completed studies in the City of Goshen.

- **Century Drive Drainage System Capacity Study (2005)** – this study evaluated the capacity of the existing stormwater infrastructure to accommodate nearby development runoff.
- **Goshen Industrial Park Stormwater Study (2006)** – this study evaluated past flooding and provides recommendations to improve onsite stormwater storage potential.
- **Crescent Street Stormwater Study (2008)** – this study provided proper sizing for reconstruction of this street and future stormwater improvements on Seventh Street.
- **Wilson Avenue Drainage Study (2009)** – this study evaluated the size of pipes needed to properly drain Wilson Avenue between Plymouth Avenue/SR 119 and Lafayette Street and between Mill Race Canal and Main Street/SR 15.
- **Chicago Avenue and Indiana Avenue Drainage Study (2011)** – this study evaluated the outfall pipe size at this intersection south to Wilkinson and west to Riverside Boulevard.
- **West Goshen Stormwater Study (1981, 2011)** – this study evaluated drainage problems in this area and recommended improvements. The study was updated and is being used as a guide for future drainage improvement projects.
- **Former Western Rubber “Genesis” Drainage Study (2014)** – this study evaluated options for offsite stormwater management for the property at Tenth Street and Plymouth Avenue to maximize the site redevelopment potential.
- **Horn Ditch Reconstruction (2016)** – this project converted 1.81 miles of Horn Ditch to a two-stage ditch and removed approximately 50 acres from the floodplain to allow for development.
- **Goshen Dam Pond Report (2019)** – this report evaluated options to increase flood storage/flood control of the Goshen Dam Pond and concluded that without completely rebuilding the dam, additional flood storage is not possible.
- **Crossing Subdivision Stormwater Improvements (2020)** – this project includes the design and construction of a series of interconnected detention basins to alleviate flooding and allow the Crossing subdivision and a future subdivision to the south to be built out.
- **Lippert/Dierdorff TIF Stormwater Master Plan (2021)** – this plan identified solutions to address flooding and allow for new industrial development in the southeast TIF district.

3.2 FLOOD RISK REVIEW / RISKMAP STUDY

In early 2020, FEMA completed a Flood Risk Review study of select streams in the St Joseph River Watershed in Indiana and Michigan through the RiskMAP program. The draft results show several differences in the limits of the floodway and floodplain between this new study and the effective FIRM. The RiskMAP team met with the City of Goshen in August 2020 to review and comment on the draft results of the completed analyses. These results will eventually be used to revise and update the FIRM following the city’s thorough review, approval and adoption process.

Since the RiskMAP study is under review and will most likely be refined, these areas were not used to determine the flood resilience areas in this plan. However, once approved, the RiskMAP areas may be used to amend, refine, or revise flood resilience areas in the future. Land use decisions in the city should consider the potential for flood risk based on updated data and flood modeling.

3.3 ST. JOSEPH WATERSHED FLOOD RISK REPORT

In March 2021, FEMA’s RiskMAP program published a Flood Risk Report for the St Joseph Watershed. This report provides non-regulatory flood risk information to assist local floodplain managers, planners and emergency managers to better understand their flood risk, take steps to mitigate those risks and communicate those risks to their citizens and local businesses. This report includes a summary of flood risk data for each of the communities in the St Joseph Watershed. **Table 3-1** below shows the estimated potential losses for flood event scenarios for the City of Goshen using FEMA’s HAZUS risk modeling software. Without mitigation and adaptive measures in place, substantial losses to structure, content and business operations can be expected during a large flood event however, this data shows potential for large losses during a smaller 10-year flood event which are more common and more likely to occur.

Table 3-1: Estimated Potential Losses for the City of Goshen

Building Type (Percent)	Estimated Dollar Losses by Flood Event			
	10% (10-yr)	2% (50-yr)	1% (100-yr)	0.2% (500-yr)
Residential (52%)	\$2.9M	\$1.0M	\$4.0M	\$6.4M
Commercial (28%)	\$4.6M	\$1.0M	\$8.9M	\$12.6M
Other (20%)	\$2.2M	\$400K	\$4.7M	\$6.6M
Total Building	\$9.7M	\$2.4M	\$17.6M	\$25.5M
Business Disruption	\$55.3M	\$64.8M	\$82.7M	\$104.1M
TOTAL LOSSES	\$65.0M	\$67.2M	\$100.3M	\$129.6M

3.4 CLIMATE ACTION PLAN

The goal of the City of Goshen Climate Action Plan for Local Government Operations is to reduce greenhouse gas emissions and achieve net zero emissions from municipal operations by 2035. Climate change directly influences flooding. A warmer climate allows the atmosphere to hold more moisture and when this warm moist air rapidly cools, the result is heavy and sometimes record-breaking rainfall. The Climate Action Plan, adopted by City Council in July 2021, identifies nine major emission reduction strategies. The following strategies directly relate to stormwater and flooding:

S4: Sustainable Infrastructure – need for higher standards to accommodate more intense and heavier rainfall; need to incorporate nature-based solutions such as green infrastructure

S6: Sustainable Land Use – need to preserve, enhance and acquire land in the floodplain and maintain its natural and beneficial function for flood storage

S7: Tree Canopy – need to increase the urban tree canopy to 45% by 2045, trees naturally reduce stormwater runoff by intercepting, capturing and storing rainfall

3.5 VULNERABILITY ASSESSMENT FOR STORMWATER

The City of Goshen is in the process of finalizing a Climate and Socio-Economic Vulnerability Assessment for Stormwater with assistance from the Great Lakes Integrated Sciences and Assessments (GLISA). This study assesses the vulnerability of 18 system components throughout Goshen, shown in **Figure 3-4**, by evaluating their sensitivity to climate change and their adaptive capacities. Several landscape and demographic factors were considered to inform evaluations of sensitivity and adaptive and many of these factors were mapped to understand geographic vulnerabilities in the city. For example, flood damage data from the February 2018 was analyzed for density of damaged structure (**Figure 3-5**).




Figure 3-4: Location of Vulnerable System Components



Figure 3-5: Flood Vulnerability Indicators

3.6 FLOOD FACTOR ANALYSIS

Flood Factor is an interactive online mapping and comprehensive risk assessment tool that assigns a flood risk score from 1 to 10 to individual properties. Those properties with a higher score are more likely to experience flooding over a 30-year period. While this tool does not account for flood protection measures such as sump pumps, sealed or elevated homes, it does provide a resource to discuss flood risk and associated flood damage with the public. In the City of Goshen, the flood factor tool identified approximately 1,400 properties that are at risk to flooding and that this number is expected to increase based on climate change predictions. **Figure 3-6** shows the distribution of properties at risk to flooding and severity of flooding expected. This tool is a product of First Street Foundation, a non-profit research and technology group.




Figure 3-6: Properties at Risk to Flooding

3.7 NORTH BRANCH ELKHART RIVER FLOOD RISK MANAGEMENT PLAN

The St Joseph River Basin Commission (SJRBC) completed the North Branch Elkhart River Corridor Flood Risk Management Plan in 2020 to investigate the overall stream function and flooding on the mainstem of the North Branch Elkhart River in Noble and LaGrange Counties, upstream of the City of Goshen. As it related to flood control, the study concluded that there are no feasible alternatives to eliminate or significantly reduce flood peaks or volumes being experienced within the North Branch Elkhart River floodplains. Communities in this watershed should accept flooding will continue to occur and adopt strategies to prevent flooding from getting worse and to minimize flood damages through community-wide and geographic area specific flood resilience strategies.

CHAPTER 4: OVERVIEW OF THE PLANNING PROCESS

The following sections provide an overview of the major planning steps in the development of the City of Goshen Flood Resilience Plan. These include reviewing and consolidating available flood-related data; project team meetings and decision-making; and defining flood resilience planning areas for the City of Goshen. The strategies associated with the flood resilience planning areas are discussed in **Chapter 6**.

4.1 REVIEW AND CONSOLIDATION OF FLOOD-RELATED DATA

Burke reviewed available flood data, studies, and maps as well as planning documents, development codes, and stormwater and flood hazard ordinances to identify opportunities to incorporate/enhance flood resilient strategies into the city's policies, programs, and projects. The following lists the materials that were reviewed:

- City of Goshen Comprehensive Plan (2016)
- City of Goshen Zoning Ordinance (1984)
 - Article IV Section 4270: Flood Control District (Overlay) Regulations (2020)
 - Article V Section 5000: Landscape Regulations for Development
 - Article V Section 5110 Parking Requirements
- City of Goshen Subdivision Control Ordinance (1960)
 - Article V Section 512: Drainage Plan
- City of Goshen City Code (2016)
 - Title 6 Article 6: Stormwater Management
 - Title 6 Article 8: Trees
- City of Goshen Redevelopment Five-Year Capital Plan (2020-2024)
- City of Goshen Comprehensive Five-Year Park System Master Plan (2019)
- City of Goshen Tree Canopy Policy (2020)
- City of Goshen Climate Action Plan (2021)
- City of Goshen Climate and Socio-Economic Vulnerability Assessment for Stormwater (2021)
- Elkhart County Multi-Hazard Mitigation Plan (2016)
- Elkhart River Watershed Management Plan (2008)
- Effective FIRM (2011) and FIS (2011)
- Flood Risk Review St Joseph River Watershed RiskMAP Update (2020)
- Flood Risk Report St Joseph Watershed (2021)
- Goshen Dam Pond Report of Findings (2019)
- West Goshen Drainage Study (2012)

4.2 GUIDANCE FROM THE PROJECT TEAM

A project team of city staff from multiple departments and elected officials was assembled to guide the development of the Flood Resilience Plan. **Table 4-1** lists the project team members.

In December 2020, Burke met with the project team to introduce the project and discuss past flood events and actions needed for the City of Goshen become a flood resilient community. At this initial meeting, Burke lead the project team through a customized flood resilience checklist. The checklist includes strategies that assess how well the City of Goshen is positioned to avoid or reduce flood damage and recover from floods. Through a series of yes or no questions, the checklist evaluates the strengths and weaknesses of current policies and regulatory tools and non-regulatory programs as they relate to flood mitigation and adaptation. As intended, much discussion was generated by each of the questions including

where city policies, programs and projects could be added or enhanced as well as development trends and potential areas of expansion in the city. **Appendix A** includes the completed checklist.

Table 4-1: Project Team List and Affiliation

Name	Responsibility
Aaron Satwatsky-Kingsley	Project Manager/Environmental Resilience Director
Jeremy Stutsman	Mayor
Rhonda Yoder	Planning & Zoning Administrator
Mark Brinson	Community Development Director
Dustin Sailor	Public Works Director
Jason Kauffman	Stormwater Coordinator
Mattie Lehman	Stormwater Specialist
Theresa Sailor	Environmental Educator
David Gibbs	Street Commissioner
Julia King	City Council
Matt Schrock	City Council
Jennifer Tobey (<i>invited</i>)	Elkhart County Emergency Management

The project team met again in February 2021 to review flood impact areas from the 2018 flood, land use designations and Flood Insurance Rate Maps (FIRM). Using the ArcGIS Online platform, Burke shared suggested boundaries for flood resilience planning areas. More information on the flood resilience planning areas is in Section 4.3 below.

Burke reached out to individual city staff from planning, redevelopment, engineering, stormwater and environmental resilience to better understand existing policies, programs and projects and discuss the types of flood resilience strategies that would work best for the City of Goshen. In May 2021, the full project team reconvened to review and prioritize recommended flood resilience strategies as well as discuss the method, resources, and timeline for implementation of these strategies. The project team met in August 2021 to discuss the implementation checklist and review the draft Flood Resilience Plan. Following revisions, the draft plan was presented to City Council in November 2021. **Appendix A** includes summaries and worksheets from the project team meetings and the presentation to City Council.

4.3 DEFINE FLOOD RESILIENCE PLANNING AREAS

As discussed in Chapter 1, EPA Office of Sustainable Communities, in partnership with FEMA, published a report in 2014 entitled: “Planning for Recovery and Long-Term Resilience in Vermont”. This report defined four flood resilience planning areas based on the different geographic regions within a river valley. To better suit Indiana communities, Burke further refined these into six flood resilience planning areas. These include the river corridor impact area, undeveloped high hazard/flood storage area, moderate flood hazard area, vulnerable developed area, safer area and watershed. **Table 4-2** lists each flood resilience planning area, the geographic boundary used to define it and the purpose of the strategies for each area.

In the City of Goshen, the flood resilience areas were defined using the Effective FIRM and the Indiana Department of Natural Resources (IDNR) best available floodplain mapping. **Figure 4-1** is a graphical representation of these areas in the City of Goshen and **Exhibit 1** provides a larger, more detailed image.

Table 4-2: Flood Resilience Planning Areas

Planning Area	Geographic Boundary	Purpose of Strategies
River Corridor Impact Area	Floodway or fluvial erosion hazard area, whichever is greater	To conserve land and prohibit development
Undeveloped High Hazard/Flood Storage Area	Undeveloped land in the floodway fringe	To conserve land and maintain the natural and beneficial function of the floodway fringe and discourage future development
Moderate Flood Hazard Area	0.2% AEP or 500-year flood zone	To highlight areas that are subject to flooding during extreme events and to discourage placement of critical facilities in these areas, which are considered to be the near future high hazard (1% AEP) areas due to ongoing climate change
Vulnerable Developed Area	Existing developed land in the SFHA (floodway and floodway fringe)	To protect people, buildings and facilities vulnerable to flooding and reduce future flood risk
Safer Areas	Outside the SFHA, 0.2% AEP floodplain and localized flooding areas; within the planning jurisdiction	To plan for and promote development in areas that are less vulnerable to future floods
Watershed	Entire drainage area	To promote coordination and partnerships and implement practices to slow, spread, and infiltrate floodwater




Figure 4-1: Flood Resilience Planning Areas

4.4 DEVELOP FLOOD RESILIENCE STRATEGIES

The approach to develop flood resilience strategies is two-pronged. The first uses land-use planning policies to direct growth, economic development and capital improvement projects to safer areas that are less vulnerable to flooding. This will help to prevent the problem from spreading and getting worse. The second is to identify projects to protect people and critical assets that already exist in the vulnerable flood risk areas. **Chapter 5** includes a discussion on overall citywide strategies and **Chapter 6** discusses each flood resilience planning area in more detail and lists recommended strategies to achieve flood resilience.

CHAPTER 5: OVERALL STRATEGIES FOR FLOOD RESILIENCE

Overall strategies are meant to improve resiliency citywide. They emphasize the importance of syncing plans, policies, and regulations for consistency of resiliency concepts and strategies. The following includes a discussion on each of the overall strategies reviewed and prioritized by the project team.

5.1 UPDATE STORMWATER ORDINANCE AND CONDUCT TRAINING

Under state and federal regulations, the city is required to establish a regulatory mechanism for managing stormwater quality and quantity. Currently the City of Goshen relies on the 2015 Indiana Stormwater Drainage Manual and the 2007 Indiana Stormwater Quality Manual to meet this requirement. These are both good resources however, they are not tailored to the city's specific needs, nor do they include higher standards to address climate change or incorporate recent regulation updates. Purdue Research Foundation through the Local Technical Assistance Program (LTAP) has recently completed a comprehensive Model Stormwater Ordinance and Technical Standards with the intent for Indiana communities to customize and adopt locally. As it relates to flood resilience, this document includes requirements for fluvial erosion hazard (FEH) areas, channel protection volume, compensatory flood storage and promotes low impact development/green infrastructure as an alternative to conventional development.

Recommended flood resilience strategy

- Customize and adopt the LTAP Model Stormwater Ordinance and Technical Standards and include requirements for fluvial erosion hazard (FEH) areas, channel protection volume, compensatory flood storage, low impact development/green infrastructure and climate change.

Green infrastructure has been of particular interest to the city as a stormwater management practice. There are several projects where it has been implemented and, in some cases, it is performing well. An example is the permeable paver system installed on Jefferson Street (**Figure 5-1**). Of concern among city staff is the lack of knowledge as it relates to design, construction and long-term maintenance of these practices. The detailed best management practice (BMP) fact sheets referenced in the LTAP Model Stormwater Ordinance and Technical Standards, provides guidance on the design, review, construction, inspection, and long-term maintenance of green infrastructure practices. Customizing the LTAP Model Stormwater Ordinance and Technical Standards to promote green infrastructure should result in more of these facilities being implemented on public and private property. For the city to maintain the public green infrastructure installations, inspection and maintenance staff will need to be trained.



Figure 5-1: Installation of Permeable Paver System in Goshen

Recommended flood resilience strategy

- Train city stormwater inspection and maintenance staff about green infrastructure practices to improve function, performance and appearance.

5.2 IMPROVE FLOOD RISK COMMUNICATION AND EDUCATION

Communicating flood risk is central to achieving flood resilience. If done correctly, communication strengthens people's risk awareness and motivates them to take measures to protect themselves and their property. The typical method of communicating flooding and flood risk uses data, confusing terminology and static maps which does not always achieve the desired result. People need to perceive the risk to act. The City of Goshen is very good at sharing flood information on the city webpage including the link to the stream gage, listing areas that are expected to flood and where to pick up sandbags to protect personal property. The city is working on a series of online story maps that give guidance and provide interactive maps that cover themes like stream river gages, historic flooding, floodplain maps and information on the percentage chance of flooding over the lifetime of a 30-year mortgage.

The city should expand on these efforts and develop a flood risk education and outreach program to help people understand their risk and take the appropriate action. This effort should target all groups including elected officials, local leaders, business owners and residents. The Association of State Floodplain Managers (ASFP), FEMA, USGS and others have good resources and tools to improve flood risk communication and methods for education and outreach. **Appendix C** includes a list of resources to help the city get started.

Recommended flood resilience strategy

- Expand current flood communication efforts and develop a flood risk education and outreach program to improve people's risk awareness and motivate them to take measures to protect themselves and their property.

5.3 CONDUCT REGULAR AUDITS OF PLANS, PROGRAMS AND POLICIES

Critical to the successful implementation of this plan and flood resilience in the City of Goshen is to update, integrate, and revise the plans, programs and policies to include the overall resilience strategies in this chapter and the strategies for each of the flood resilience planning areas discussed in Chapter 6. **Appendix B** includes a blank copy of the flood resilience checklist that was used early in this planning process to assess the strengths and weaknesses of current plans, programs, and policies related to flooding. This checklist should be revisited annually.

Recommended flood resilience strategy

- Complete the flood resilience checklist at least annually to track progress made and continue to do so until all questions are marked "yes."

5.4 UPDATE THE CITY CODE AND ZONING ORDINANCE

Preventative measures integrated into the City Code and Zoning Ordinance can reduce future vulnerability to flooding, especially in areas where development has not yet occurred. For flood resiliency, there are two areas where enhancements or new requirements are recommended. These include trees and landscape standards and flood hazard regulations.

In 2019 the city adopted a goal to have 45% urban tree canopy cover by 2045 or 45 by '45. Achieving this goal will double the current tree canopy. **Figure 5-2** shows one of the tree-lined city streets in Goshen. As

this relates to flood resilience, trees naturally reduce stormwater runoff by intercepting, capturing and storing rainfall. Title 6 Article 8 of the City Code covers tree planting, maintenance and removal of street trees. The recommended tree list includes trees tolerant the urban environment however not all are native to Indiana. Native species are adapted to local growing conditions and will require less maintenance.

The city has a cost-share program to assist property owners, excluding developers, to plant new street trees. When street trees need to be removed for widening or construction, the city will compensate the property owner or replace the tree (1:1).



Figure 5-2: Tree-lined Street in Goshen

Article V Section 5000 of the Zoning Ordinance includes landscape regulations for development. Robust landscaping standards are in place for streetside, bufferyards, foundation (optional) and off-street parking. Naturalized landscaping is permitted providing it is maintained and free of noxious weeds. The city offers a credit for preserving existing trees and vegetation. This policy requires a preservation landscape plan and the area to be designated as a Tree Save Area. Should the trees or vegetation preserved become damaged or die within three years, replacement landscape is required that equals or exceeds the requirements of the landscape regulations. Currently there is not a policy to replace mature trees or stands of trees that are removed for private or public development. The city should consider expanding the tree preservation language to mitigate for lost tree canopy and promote species diversity. The following recommendations should help bolster the city's tree canopy goal and promote native species and green infrastructure practices.

Recommended flood resilience strategies

- Expand the tree preservation language in the Zoning Ordinance to include replacement of trees lost to development. Consider a tree mitigation ratio of 5:1 based on tree size and require a variety of native species to reduce the risk of mass tree casualties from future pest damage.
- Promote the use of native plants in the Zoning Ordinance by requiring a higher percentage to meet the landscape standards and update the recommended tree list in the City Code to include more native species and cultivars.
- Allow vegetated green infrastructure practices, including parking areas, to count toward landscape requirements in the Zoning Ordinance.

The Flood Control District (Overlay) regulations are included in Article IV Section 4270 of the Zoning Ordinance. These regulations were updated in 2020 and follow the model flood hazard ordinance language recommended by IDNR. The regulations state that no structure shall be located, extended, converted or structurally altered and no land or stream shall be altered in the SFHA without full compliance of these regulations.

Critical facilities are structures that are vital to the community's ability to provide essential services and protect life and property, are critical to the community's response and recovery activities, and/or are the facilities the loss of which would have a severe or catastrophic impact. These typically include fire stations,

police stations, schools, and hospitals for example. Current floodplain regulations in the City of Goshen allow critical facilities to be constructed in the SFHA, if no feasible alternative site is available. However, due to the importance of these facilities to the operation and function of the city before, during, and after a hazard event, under no circumstances should they be in the SFHA or the 0.2% AEP (500-year) flood limits. If placement of new critical facilities in the flood hazard area is unavoidable, the facility, including access, should be protected to at least one foot above the 0.2% AEP flood elevation. These requirements are consistent with the intent of Executive Order 11988, Floodplain Management as well as federal agencies requirements for funding and/or permitting for critical facilities. However, facilities such as water and wastewater treatment plants that are typically located within the floodplain due to their function should be excluded.

In the floodway, construction of non-substantial additions/improvements to residences are allowed without a permit from IDNR. Also, the current city codes allow non-residential structures to be placed within the regulatory floodway with a permit from IDNR (which only considers the 1% AEP or 100-year flood). To minimize cumulative impacts of the loss of flood conveyance on various flood frequencies, minimize the potential increase in erosion, and preserve the natural and beneficial functions of the stream corridor, all new development, residential or commercial, should be prohibited and if not possible, discouraged in the floodway. To the extent possible redevelopment in the floodway should also be discouraged. Note that rebuilding of structures destroyed by fire or other means are not considered redevelopment and are subject to provisions in the Flood Control District regulations.

The regulatory floodplain limits area based the 2011 FIRM and in the absence of published FEMA maps, the city refers to IDNR's best available floodplain mapping. In August 2020, the city met with FEMA's RiskMAP team to review draft results of updated floodplain analyses. These results will eventually be used to revise and update the FIRM following the city's thorough review, approval and adoption process.

The flood resilience planning areas defined in this plan will need to be added to the Flood Control District regulations. These are included below and in more detail in Chapter 6.

Recommended flood resilience strategies

- Amend the Flood Control District regulations to require new critical facilities to be located outside of known flood hazard areas only, including the 0.2% AEP. If placement of new critical facilities in flood hazard area is unavoidable, the facility, including access, should be protected to at least one foot above the 0.2% AEP flood elevation.
- Amend the Flood Control District regulations to prohibit and if not possible, discourage new development or redevelopment within the floodway and undeveloped high flood hazard storage areas in the floodway fringe.
- Update flood resilience planning areas based on updated FIRM information.

5.5 UPDATE THE STORMWATER UTILITY FEE

A stormwater utility is a proven method of providing a reliable funding source for managing stormwater programs. It can generate funds for a variety of stormwater needs including capital improvement projects, regulatory compliance, drainage plans and studies, operation and maintenance of infrastructure, equipment, vehicles and staff training. In 2005 the City of Goshen, in partnership with Elkhart County, City of Elkhart and City of Bristol, established a stormwater utility fee. The rate structure is set up to collect a flat fee of \$1.25 per month for residential properties and a variable rate for nonresidential properties based on actual impervious cover. There are about 95 stormwater utilities in Indiana with an average single family residential fee of \$5.74 per month. The average fee for the 12 stormwater utilities in the northeast portion of the state, where the City of Goshen is located, is \$5.29. This is over four times the city's stormwater

utility fee. While the funds collected currently cover some of the city's stormwater program costs, it does not generate enough revenue to tackle larger, much needed capital projects to mitigate flooding. The city should first work with the county to study and increase the stormwater utility fee or pursue this work on their own.

Recommended flood resilience strategy

- Work with the County to study and update the stormwater utility rate collectively, otherwise complete an independent Stormwater Utility Rate Study that includes stormwater program costs and a fair and equitable rate structure; update the stormwater utility fee accordingly within the City of Goshen.

5.6 INTEGRATE FLOOD RESILIENCE INTO THE COMPREHENSIVE PLAN

The comprehensive plan represents the community's vision for growth and development and as such can play an important role in flood resilience. The City of Goshen's Comprehensive Plan was updated in 2016 with a strong natural environment chapter. Throughout this chapter there are several references to maintaining the natural and beneficial function of the floodplain, preserving the ecological integrity of riparian corridors, promoting of native plants and landscaping, directing growth toward existing development and away from undeveloped open space including floodplains, work with landowners along the river to promote low impact uses, purchase land or development rights along the river and partner with county/regional organizations and landowners to reduce runoff upstream in the watershed. The vision, goals and objectives in the city's Comprehensive Plan align with the strategies in this Flood Resilience Plan.

Recommended flood resilience strategies

- Add a discussion on flooding, climate change, and flood resilience planning areas to the Comprehensive Plan.
- Cross-reference the Flood Resilience Plan, Redevelopment Capital Plan and Elkhart County MHMP for strategies and mitigation measures related to flooding, growth and development priorities.

5.7 INCLUDE FLOOD RESILIENCE IN CAPITAL PROJECTS

The City of Goshen established the Goshen Redevelopment Commission and the Department of Redevelopment to act as a catalyst for new development in targeted areas. This is done through techniques including real estate acquisition, site preparation, environmental remediation and providing public infrastructure to the site. Financing resources generally used are Tax Incremental Financing (TIF) and Redevelopment General Obligation Bonds. The city maintains a five-year capital plan for redevelopment projects. In the current plan, there are several properties in the SFHA. Reuse of these properties should reflect the strategies in this Flood Resilience



Figure 5-3: Illustration of Mill Race Pavilion and Floodplain Open Space

Plan. Based on studies conducted by the National Institute of Building Sciences' Multihazard Mitigation Council, on average, every \$1 spent on mitigation (including preservation of floodplain land and floodplain development restrictions) results in a \$6 return of avoided future losses, a 6:1 benefit-cost ratio.

Figure 5-3 is an illustration of the Mill Race Pavilion and surrounding open space for flood storage in the Elkhart River floodplain. There has been some early discussion among city staff about the need to prepare a Future Growth Plan for the City of Goshen. This plan should incorporate the flood resilience planning areas as should the proposed Stormwater Master Plan discussed in 6.4.2.

Recommended flood resilience strategies

- Focus redevelopment efforts (site preparation, remediation and public infrastructure) in locations that are designated as safe growth areas outside the 0.2% AEP floodplain and local flooding areas.
- Continue to acquire available land in the SFHA for flood storage and compatible open space uses; build on the city-owned parkland along the Elkhart River and create a Central Park like amenity for the city and region.
- Consider climate change and flood impacts in capital projects; promote low impact development/green infrastructure to manage stormwater.
- Incorporate the flood resilience planning areas into the proposed Future Growth Plan.
- Cross-reference the Flood Resilience Plan, Comprehensive Plan and Elkhart County MHMP for strategies and mitigation measures related to flooding, growth and development priorities.

5.8 IMPLEMENT THE MHMP FLOOD MITIGATION MEASURES

FEMA requires communities to prepare Multi-Hazard Mitigation Plans (MHMP) to reduce or eliminate risk from natural hazards. A community must have a MHMP to receive hazard mitigation and disaster recovery funding from FEMA. Elkhart County Emergency Management Agency (EMA) prepared a multi-jurisdictional MHMP in 2016 that includes the City of Goshen. This plan provides several mitigation strategies to prevent or reduce the potential damages caused by flooding. Additionally, the MHMP suggested a timeline of implementation for each strategy. The following lists the mitigation measures in the MHMP that support flood resilience in the City of Goshen and where they are discussed in the Flood Resilience Plan.

Recommended flood resilience strategies

- Minimize impacts of flooding by retaining stormwater onsite using low impact development/green infrastructure practices (see 5.1).
- Maintain channels and regulated drains to prevent localized flooding (see 6.1.3, 6.2.3 and 6.6.4).
- Educate the population of known flood hazard areas (see 5.2).
- Prohibit development of new critical facilities in known flood hazard areas; protect existing critical facilities (see 5.4 and 6.3.1).
- Relocate, buyout or floodproof (nonresidential) existing structures that are subject to repetitive flooding (see 6.4.4 and 6.4.5).
- Maintain a database of accurate and community specific information following each hazard event including extent, magnitude, cost, response and recovery efforts (partner with EMA).
- Establish procedures to alert and evacuate the population in known hazard areas (see 6.4.1).
- Incorporate hazard information, risk assessment and hazard mitigation practices into plans and policies to better guide future growth and development (see 5.3).
- Reduce flood insurance premiums through participation in the NFIP Community Rating System (see 6.4.3).

- Support FEMA flood depth mapping (RiskMAP) to better understand the flood risk potential (see 5.4).
- Encourage restoration of the natural stream corridor in new and redevelopment projects (see 6.6.2).
- Cross-reference the Flood Resilience Plan, Comprehensive Plan and Redevelopment Capital Plan for strategies and mitigation measures related to flooding, growth and development priorities (see 5.6 and 5.7).
- Participate in the MHMP five-year update; multi-departments needed (partner with EMA).

CHAPTER 6: STRATEGIES FOR FLOOD RESILIENCE PLANNING AREAS

As introduced in Section 4.3, six flood resilience planning areas were identified for the City of Goshen. These are based on the different geographic regions of the river valley. These include the river corridor impact area, undeveloped high hazard/flood storage area, moderate flood hazard area, vulnerable developed areas, safer area and the watershed. The strategies most effective at enhancing flood resilience will differ depending on the flood resilience planning area while at the same time offer multiple and interrelated benefits. For example, directing development out of the floodplain and into safer areas not only keeps people and property safe, but it also maintains the ability of floodplains to hold and slow down floodwater before it reaches development downstream. Based on the review of available flood data and studies as well as input from project team, the following are the recommended strategies to improve flood resilience in the City of Goshen.

6.1 RIVER CORRIDOR IMPACT AREA

The river corridor impact area is defined by the floodway or FEH area boundary, whichever is greater (**Figure 6-1** and enlarged in Exhibit 1). The floodway encompasses the channel of a river or stream and those portions of the floodplains adjoining the channel which are reasonably required to efficiently carry and discharge the peak flood flow of the regulatory flood of any river or stream. During a flood, the velocity and volume of water in the floodway is great and can be destructive to obstacles in its path.




Figure 6-1: River Corridor Impact Area

In addition to carrying floodwater, the land adjacent to the channel is needed for the river to adjust laterally over time and maintain its natural stable form and become less prone to severe flooding. In many cases, flood damage is not only the result of inundation, but erosion as well. Development and infrastructure that encroach in this area may be adversely affected by the natural stream processes and exacerbate flooding and erosion potentials in other areas. Conserving land and prohibiting development in this particularly vulnerable area is imperative to improving flood resilience in the City of Goshen. The following strategies detail how to successfully achieve this.

6.1.1 Adopt Fluvial Erosion Hazard (FEH) Regulations

Floodplain regulations regulate land use in floodplains and are primarily in place to protect insured structures from flood-related losses. They do not necessarily address erosion or the negative impact development can have on other property owners or the natural and beneficial functions of the floodplain.

Because of this area's susceptibility and vulnerability to flooding and erosion, development should be prohibited and if not possible, discouraged. This includes structures, infrastructures and utilities, as well as any land disturbance activities including parking areas, land clearing, excavation, and grading.

In Indiana, FEH boundaries have been determined as part of a 2014 initiative by Indiana Silver Jackets, through funding obtained from the Indiana Office of Community and Rural Affairs (OCRA), and available on the IDNR Division of Water website. As shown in **Figure 6-2**, the floodway and FEH do not always occupy the same space. For this reason, the city should adopt FEH regulations in addition to enforcing the existing floodway requirements in the Flood Control District.




Figure 6-2: Floodway and Fluvial Erosion Hazard Areas

Recommended flood resilience strategy

- Adopt standalone fluvial erosion hazard regulations to prohibit and if not possible, discourage new development and redevelopment in this area or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standards recommendation.

6.1.2 Protect Undeveloped Land in the River Corridor Impact Area

For this area to function and provide critical conveyance for floodwater and stream movement, it should remain undeveloped. This includes encroachment from structures, infrastructures, and utilities, as well as any land disturbance activities including parking areas, land clearing, excavation, and grading that should be avoided.

The City of Goshen has done a great job acquiring land in the floodplain and using it as parkland. In the river corridor district, 31% of the land is owned by the city; 82%, of which, is designated as parks. Along the Elkhart River, the amount of city-owned parkland is even greater. As shown in **Figure 6-3**, much of the land in the river corridor impact area between Lincoln Highway (US 33) and Goshen Dam Pond is a city-owned park. This large green, Central Park like swath, includes Rogers Park, Linway Lake, Mullett Park, Shanklin Park, Millrace Park, Larry L. Beachy Forest and Shoup-Parsons Woods. On the city's eastside, the city owns Oakridge Park, Mill Street Park and Abshire Park adjacent to Rock Run Creek

As land and funding become available, the city should continue to acquire properties within the river corridor impact areas to allow for critical conveyance for floodwater and stream movement.

Another method to preserve the river corridor impact area, is for the city to identify landowners of undeveloped land and partner them with local land trusts, United States Department of Agriculture (USDA), IDNR, and the Elkhart County Soil and Water Conservation District (SWCD) organizations that can purchase, accept land donations, or hold conservation easements. Many of these programs have incentives to help with implementation such as cost-share funding, purchase agreements, and property tax reductions. Depending on the program, funds may be available to restore or enhance natural features on the site like wetlands, forest, or prairie as well as provide long-term maintenance of the protected property. Appendix D contains a list of land trusts, agencies, and cost-share programs in Indiana. This list should be updated as other organizations and programs become available.

Recommended flood resilience strategies

- Prohibit and if not possible, discourage new development in the river corridor impact area.
- Continue to acquire undeveloped land from willing landowners in the river corridor impact area as land becomes available and funding allows.
- Identify willing landowners of undeveloped land in the river corridor impact area and partner them with entities willing to purchase, accept donations or hold conservation easements.




Figure 6-3: Parks in the River Corridor Impact Area

6.2 UNDEVELOPED HIGH FLOOD HAZARD/FLOOD STORAGE AREA

Undeveloped High Flood Hazard/Flood Storage Area includes the undeveloped land in the floodway fringe (**Figure 6-4** and enlarged in Exhibit 1). The intent of the strategies for this flood resilience planning area is to conserve land and maintain the natural and beneficial function of the floodway fringe.

While the floodway is critical for flood conveyance, the floodway fringe is critical for flood storage. Flooding in this area is an essential part of the river's hydrologic and hydraulic processes, geomorphic processes, and biologic processes that shape and maintain this natural system. Encroachment in the floodway fringe upsets this delicate balance and disturbs the functions and overall health of the river's ecosystem. The short-term economic gain from developing in the floodplain is unsustainable and ultimately shifts the adverse environmental impacts to future generations.

Like the river corridor, conserving land and prohibiting development in this particularly vulnerable area is imperative to improving flood resiliency in the City of Goshen. The following strategies detail how to successfully achieve this.




Figure 6-4: Undeveloped Land in the Floodway Fringe

6.2.1 Protect Undeveloped Land in the Floodway Fringe

For the floodway fringe to function and provide critical storage for floodwater, it must remain undeveloped. The same approach used in 6.1.2 to protect undeveloped land in the river corridor impact area can be used to protect undeveloped land in the floodway fringe. The city should continue to purchase land in the floodway fringe as land and funding is available. Where city ownership is not feasible, the city should partner willing landowners with local land trusts, USDA, IDNR, and SWCD organizations that are willing to outright purchase, accept land donations, or hold conservation easements.

Recommended flood resilience strategies

- Prohibit and if not possible, discourage new development in the undeveloped high flood hazard storage areas in the floodway fringe.
- Continue to acquire undeveloped land from willing landowners in the undeveloped high hazard/flood storage area as land becomes available and funding allows.
- Identify willing landowners of undeveloped land and partner them with entities willing to purchase, accept donations or hold conservation easements.

6.2.2 Establish Compensatory Floodplain Storage Requirements

It is necessary to preserve the natural storage within the floodplain because loss of floodplain storage on one property could lead to increases in flood depths and frequency of flooding and negatively impact other properties along the stream or within the watershed.




Figure 6-5: Illustration of Compensatory Storage

Floodplain storage is lost when a portion of the floodplain is filled, occupied by a structure, or when there is a change in the channel hydraulics that reduces the existing available floodplain storage volumes. In some circumstances when placement of fill within the floodway fringe is considered unavoidable, compensatory floodplain storage can be an effective regulatory tool to compensate for loss of flood storage (but not necessarily the loss of other beneficial functions of a floodplain) due to fill, structure, or other materials above grade in the regulatory floodplain that temporarily or permanently displaces floodplain storage volume. **Figure 6-5** provides an illustration of how compensatory storage works.

The City of Goshen does not currently have a compensatory flood storage requirement. In the rare circumstance where the placement of fill in the floodway fringe is unavoidable, and a variance has been granted, the city should require a minimum 3:1 compensation of the floodplain storage that is lost.

Recommended flood resilience strategy

- Adopt a standalone minimum 3:1 compensatory flood storage requirement or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standard recommendation (see 5.1.1).

6.3 MODERATE FLOOD HAZARD AREA

The Moderate Flood Hazard Area encompasses the land in the 0.2% AEP flood zone (**Figure 6-6**). The intent of this flood resilience planning area is to highlight areas subject to flood risk during extreme flood events, to avoid placement of critical facilities and, to the extent possible, preserve these areas as additional flood storage areas that will likely be needed as the impacts of the ongoing changes in climate makes

inundation of these areas in the future like how the 1% AEP floodplain is inundated in today's climate. The following strategies detail how to successfully achieve this.




Figure 6-6: Moderate Flood Hazard Area

6.3.1 Discourage New Development, Especially Critical Facilities

Since it is likely that the moderate flood hazard area will flood during extreme events, development should be discouraged, especially critical facilities. The City of Goshen's Flood Control District regulations states that the construction of new critical facilities shall be, to the extent possible, located outside the limits of the SFHA. Critical facilities are permissible in the SFHA if no other feasible alternative site is available however, access routes must be elevated to or above the flood protection grade to the extent possible. This language should be updated to include the 0.2% AEP flood zone or be protected to one foot above 0.2% AEP. Critical facilities such as police, fire, medical facilities, and schools should not be in areas vulnerable to flooding. Facilities for drinking water and wastewater treatment plants that are typically located within the floodplain due to their function may be excluded from such requirements.

Recommended flood resilience strategies

- Discourage new development and preserve the 0.2% AEP flood zone for additional flood storage for extreme flood events.
- If placement of new critical facilities in flood hazard area is unavoidable, the facility, including access, should be protected to at least one foot above the 0.2% AEP flood elevation.

6.3.2 Require Higher Standards for Buildings

Development in the floodplain is regulated to protect people and property and reduce vulnerability to future flood risk. Currently buildings in the 0.2% AEP flood zone are not required to meet the same requirements as those in the SFHA. The moderate flood hazard area is a known flood risk area and as such new development and redevelopment in this area should be to a higher standard than currently regulated. The following are recommended to improve flood resilience in this area.

Recommended flood resilience strategies

- Require new development and redevelopment in the 0.2% AEP flood to have a flood protection grade equal to or greater than that required in SFHA (a minimum of two feet above the 1% AEP).

6.4 VULNERABLE DEVELOPED AREA

Vulnerable developed areas are, as name suggests, existing developed areas within high flood or erosion hazard areas, i.e., within the river corridor impact area and floodway fringe (**Figure 6-7** and enlarged in




Figure 6-7: Vulnerable Development Area

Exhibit 1). The intent of this flood resilience planning area is to protect people, buildings, and facilities in vulnerable areas and reduce future flood risk.

While ideally removing these structures through a buyout program provides the best protection from future flood-related or erosion-related losses, it is unlikely that such a strategy can cover the entire affected area because of the number of structures in the high flood hazard areas. In the City of Goshen there are 558 structures in the high flood hazard areas. **Table 6-1** shows a breakdown of the structures for the Elkhart River, Rock Run Creek, Horn Ditch and Leedy Ditch. These areas make up older, established neighborhoods, commercial and industrial developments. As evident following the 2018 flood, there is a willingness and strong desire to repair and/or rebuild structures damaged by major floods.

A report on the value of mitigation by the National Institute of Building Sciences, reviewed over 20 years of federally funded mitigation grants, not only from FEMA, but also from the US Economic Development Administration (EDA) and the US Department of Housing and Urban Development (HUD). From this broadened review, it has been determined that for every \$1 spent on mitigation, \$6 are saved on disaster and recovery costs. Further, by designing and constructing buildings which exceed select items in the 2015 International Code, an additional \$4 can be saved for every \$1 invested in those changes. Given these findings, every effort should be taken to mitigate the flooding impacts in the vulnerable developed area.

Table 6-1: Structures in the SFHA

WATERWAY	STRUCTURES IN RIVER CORRIDOR IMPACT AREA		STRUCTURES OUTSIDE RIVER CORRIDOR (in floodway fringe)	
	Primary	Accessory	Primary	Accessory
Elkhart River	176	64	111	42
Rock Run Creek	71	18	31	10
Horn Ditch	5	4	3	0
Leedy Ditch	111	85	50	26
TOTAL	363	171	195	78

Note: Structure count does not include those removed through Letter of Map Change

Below are strategies to safeguard development and redevelopment in areas that are susceptible to flooding. Although in many cases the risk to flooding cannot be eliminated entirely, these strategies will help reduce the potential damage from future flooding events.

6.4.1 Prepare a Flood Response Plan

With every major flood, there comes an overwhelming level of activity and a need for quick information and response. A Flood Response Plan documents the flood response process, informs those involved in the chain of command, lists specific responsibilities and task assignments, and provides a schedule of activities tied to stages of the flood fight, including flood safe routes for evacuation (**Figure 6-8**). A good plan helps prevent duplication of effort and wasted resources and helps avoid gaps in response and recovery. The City of Goshen currently posts flood information on the city webpage. This includes the link to the stream gage, areas expected to be impacted and where sandbags are available. While general flood fighting procedures may have been established following the latest flood, the process needs to be formalized. The city should prepare a formal Flood Response Plan to document 1) event forecast, detection and classification, 2) event-based warning and notification, 3) recommended response actions and 4) event termination and follow-up.

Recommended flood resilience strategy

- Prepare a Flood Response Plan that documents flood detection, warning, response and follow-up protocols.




Figure 6-8: Example of Flood Safe Routes from a Flood Response Plan

6.4.2 Prepare a Citywide Stormwater Master Plan

The purpose of a Stormwater Master Plan is to provide an overall understanding of the drainage, flooding, and water quality conditions citywide. This type of plan provides recommended solutions that will solve or reduce existing water quality/quantity problems; prevent an increase in water quality/quantity problems as growth occurs; and preserve the natural and beneficial function of the floodplain. The City of Goshen does not currently have a comprehensive citywide Stormwater Master Plan but rather completes individual drainage studies and projects in response to specific flooding or drainage problems. The most recent list is included in Section 3.1 of this plan. The draft Stormwater Vulnerability Assessment (Section 3.4) identified 18 areas impacted by the 2018 flood. These include the Trinity Square Shopping Center, Linway Plaza and Lincoln Avenue businesses, Huron Street neighborhood, Roxbury Mobile Home Park as well as multiple road and intersections and sanitary sewer lift stations. Depending on the level of analysis and recommendations from the GLISA study discussed in Section 3.5, this potentially could function as a Stormwater Master Plan or at very least provide the foundation for a more detailed planning effort.

Recommended flood resilience strategy

- Prepare a comprehensive citywide Stormwater Master Plan to understand drainage, flooding and water quality conditions citywide.

6.4.3 Participate in the NFIP Community Rating System

The Community Rating System (CRS) is a voluntary program that provides reduced flood insurance premiums for policy holders in communities that go above and beyond the NFIP standards. Communities must apply to participate in the CRS and commit to implement and certify activities that contribute to reduced flood risk and improve flood resiliency. Examples of eligible activities include preserving open space in the floodplain, enforcing higher standards, developing mitigation plans, maintaining drainage systems, and monitoring flood conditions and issuing warnings. Although eligible, due to minimum statewide higher standards, the City of Goshen does not currently participate in the CRS program. However, after the implementation of recommendations contained in this plan, the city will be in a great position to bring about significant discounts on flood insurance premiums paid by property owners. In Indiana, 32 communities participate in the CRS program.

Recommended flood resilience strategy

- Upon implementation of flood resilience strategies, participate in the NFIP Community Rating System (CRS) program to reduce flood risk, improve flood resiliency and reduce the flood insurance premiums for all flood insurance policy holders within the city.

6.4.4 Relocate and/or Buyout Structures Inside the River Corridor Impact Area

Relocation and buyouts (or voluntary acquisitions) removes individual flood prone structures from harm's way by physically moving the structure or demolishing and rebuilding in a safer location. Not only does this greatly reduce the flood risk to the building and its contents but the land becomes designated as open space in perpetuity which provides more area for storage or conveyance of floodwater. FEMA provides 75% of the funding for voluntary acquisition projects through the Building Resilient Infrastructure and Communities (BRIC) grant program. These grants are highly competitive and the process from application to site restoration can take several years. The city should prepare a Voluntary Acquisition Plan that includes property details, the location within the floodway or river corridor impact area, depth of flooding and repetitive loss, for example. As shown in Table 6-1 above, 65% or 363 of the structures in the City of Goshen SFHA are in the river corridor impact area. Removal of structures in the river corridor impact area should be prioritized followed by those outside of the river corridor impact area but inside the SFHA (see 6.4.5).

Recommended flood resilience strategies

- Prepare a Voluntary Acquisition Plan to prioritize structures for relocation and/or buyout in the vulnerable developed area.
- Acquire and demolish structures in the river corridor impact area as properties become available and funding allows.

6.4.5 Retrofit, Relocate and/or Buyout Structures Outside the River Corridor Impact Area

Floodproofing is an option for nonresidential structures with less than three feet of flood depth. Floodproofing methods include elevating the building and/or utilities, building perimeter flood protection measures, dry floodproofing (sealing a building to prevent floodwater from entering) or wet floodproofing (letting water enter the structure but protecting/elevating/removing everything that could be damaged by floodwater). Each method is better suited to different building construction and site conditions. Floodproofing costs vary depending on the site considerations and the method selected. Nonresidential structures in the SFHA (outside the River Corridor Impact Area) are potential

candidates for floodproofing. Some funding may be available from FEMA through the BRIC grant program, disaster declarations, and/or increased cost of compliance programs to assist with floodproofing efforts. The city should establish a Floodproofing Assistance Program that prioritizes structures for floodproofing based on flood depth and frequency of flooding, identifies landowners and floodproofing options, and assists with securing available funding.

Priority for relocation and/or buyouts should be first in the river corridor impact area and then in the remaining SFHA. Structures should be prioritized in the Vulnerability Acquisition Plan based on depth of flooding and repetitive loss like those in the river corridor impact area.

Recommended flood resilience strategy

- Create a Floodproofing Assistance Program to prioritize nonresidential structures for floodproofing, establish partnerships with willing landowners and secure available funding.
- Acquire and demolish structures outside the river corridor impact area and inside the SFHA as properties become available and funding allows (based on Voluntary Acquisition Plan developed in 6.4.4).

6.4.6 Bring Nonconforming Uses into Compliance

Nonconforming uses are defined as uses and structures that may have met the development regulations at the time they were permitted or constructed but because of changes to the regulations, these uses are no longer in compliance. Even though the City of Goshen is in good standing with the NFIP and regulates development in the floodplain, there are older structures that do not meet the most recent flood regulations.

Normally, a nonconforming use will be brought into compliance during a major repair as the result of substantial damage from a flood, wind, fire, or similar. A major renovation will also trigger compliance with the current regulations. However, minor repairs or renovations will not. If uses and structures are going to remain in the SFHA they should follow the most recent flood regulations to reduce future losses and damages.

The City of Goshen should implement a Flood Compliance Program to encourage owners of all nonconforming uses to voluntarily come into compliance, or even partial compliance, with the most recent flood regulations. This can be achieved by using flood-resistant materials, installing vents, or elevating HVAC equipment (**Figure 6-9**). The city will need to identify incentives such as cost-share programs or waived permit fees to improve participation in the program.



Figure 6-9: Example of Compliance with Flood Ordinance Requirements

Recommended flood resilience strategy

- Implement a Flood Compliance Program to encourage owners of nonconforming uses to voluntarily meet flood regulations.

6.5 SAFER AREAS

Safer areas are located outside the SFHA and moderate flood hazard areas and not subject to localized flooding in low lying areas, but within the planning jurisdiction (**Figure 6-10** and enlarged on Exhibit 1). The intent of this flood resilience planning area is to plan for and promote growth and development in areas that are less vulnerable to future floods. The following strategies can be taken to foster growth in these areas.

6.5.1 Guide Growth and Development to Safer Areas

At the core of the comprehensive plan is the land use section which provides a general pattern for the location, distribution, and character of the future land uses in the city. The land use section reflects the city's vision of its future self and becomes the foundation for zoning designations. The land use section of the City of Goshen Comprehensive Plan (L-4) encourages development that is sensitive to the natural environment. Specifically, this includes directing growth toward existing development and away from undeveloped open space including floodplains. To achieve this, the city should target future capital improvements, extend utilities, and infrastructure in locations that are designated as safer areas by formally coordinating local capital improvement plans with the city's Comprehensive Plan. By prioritizing capital improvements in safer areas, Goshen can provide incentives for development to locate there. This may include TIF districts, flexible zoning practices, or permit waivers as examples.




Figure 6-10: Safer Areas for Growth and Development

Recommended flood resilience strategy

- Guide growth and development including utilities and infrastructure to safer areas outside the SFHA, 0.2% AEP flood zone and localized flooding areas.

6.5.2 Promote Conservation Design and Development

Conservation design is a land development practice that allows for growth and development while protecting sensitive ecological resources, prime agricultural lands, scenic landscapes, as well as historic and cultural resources. **Figure 6-11** illustrates this practice and compares a traditional residential development to a conservation residential development approach. Conservation design is an effective tool to preserve the natural and beneficial function of the floodplains, wooded areas, and wetlands for stormwater and floodplain management. The open space is typically held and managed as a conservation easement by a land trust or similar organization. While less common, the same approach can apply to commercial and industrial land use categories as well. Economically, conservation design allows developers to distinguish themselves in a competitive market. Houses in conservation design neighborhoods tend to appreciate faster than their traditional counterparts.

The land use section of the City of Goshen Comprehensive Plan (L-4) states that the impact of new development on the natural environment should be minimized and this can be achieved by identifying natural features and promote their inclusion in the design process. The city's zoning ordinance allows this through the Planned Unit Development (PUD) process (Article IV Section 4250).

Recommended flood resilience strategy

- Promote development that is sensitive to the natural environment through conservation design and development.




Figure 6-11: Illustration Comparing traditional and Conservation Design Approach

6.5.3 Promote Placement of Critical Facilities in Safer Areas

As discussed in 5.1.4, new critical facilities should only be permitted in safer areas outside of known flood hazard areas.

Recommended flood resilience strategy

- Require new critical facilities to be constructed exclusively in safer areas outside the SFHA and 0.2% AEP flood zone.

6.6 WATERSHED

The watershed flood resilience planning area is outside the SFHA and includes the entire drainage area (**Figure 6-12**). The intent of this planning area is to promote coordination and partnerships in the watershed and implement practices to slow, spread, and infiltrate floodwater. Stream gages upstream in the watershed can provide early warning to downstream communities. The following lists the watershed planning area strategies.

6.6.1 Support USGS Stream Gages

USGS maintains a network of gages nationwide to provide local, real-time streamflow information for emergency managers, local official, and the public. USGS gages are supported through matching local funds. There is a stream gage on the Elkhart River in Goshen. Flood forecast information for this gage is provided during times of high water only. This gage is in the center of the city near River Avenue and as such is unable to provide much flood warning. The next gage upstream is in Noble County on the North Branch Elkhart River at Cosperville. This gage is too far away to provide reliable flood forecast information for the City of Goshen. An additional gage upstream on the Elkhart River would help with flood detection and early warning. The addition of probabilistic and daily forecast information to the gage in Goshen would be beneficial as well.

Recommended flood resilience strategies

- Partner with the USGS to add a new gage upstream of Goshen to improve flood detection and provide early warning through the NWS.
- Partner with the NWS to expand the capabilities of the Elkhart River at Goshen gage to provide daily forecast information.




Figure 6-12: Elkhart River Watershed

6.6.2 Build Partnerships within the Watershed

The Elkhart River Restoration Association (ERRA) is a locally led organization that received an EPA 319 grant through IDEM to develop a watershed management plan for the Elkhart River Watershed. This plan focused on excessive sediment loading (especially as it relates to the Goshen Dam Pond), problematic *E.coli* levels, nutrient loading, rapid land use change and loss of wildlife habitat. This study identified agricultural and urban BMPs to address these concerns. The City of Goshen is downstream of a large area of row crops and pasture. Implementation of agricultural BMPs will help slow, spread and infiltrate floodwater before it reaches the city. Implementation of the urban BMPs in the city will capture, treat and store stormwater and reduce localized flooding.

The St Joseph River Basin Commission (SJRBC) includes the Elkhart River Watershed and several others to the east, west and north into Michigan. The SJRBC was established by the Indiana General Assembly to improve water quality, encourage conservation and increase coordinated management of the water and related land resources with the St Joseph River Basin. The SJRBC develops plans and tools to improve water quality and mitigate flooding as well as hosts an annual symposium for entities in the basin to network and collaborate on watershed efforts.

The City of Goshen should partner with the SJRBC and other jurisdictions in the watershed to encourage establishment of a natural resource overlay zone in the watershed. The overlay zone will be managed by each participating jurisdiction. This overlay should encompass open water, floodplains, riparian corridors, wetlands, woodlots, and urban tree canopy. These natural areas have a tremendous

ability to capture, store, and treat floodwater. Protecting and enhancing these areas throughout the watershed will go a long way toward the city's flood resiliency. The implementation of a natural resource overlay zone does not have to restrict agricultural practices or plans for development if it supports the natural and beneficial function of natural resources.

On the watershed scale, No-Adverse-Impact (NAI) is an effective floodplain management approach that ensures the action of any community or property owner, public or private, does not adversely impact the property and rights of others. The City of Goshen should work with the SJRBC to promote the adoption of comprehensive NAI ordinance and standards by all counties and communities in the watershed.

Recommended flood resilience strategies

- Participate in the Elkhart River Restoration Association and the St Joseph River Basin Commission planning activities and studies that help slow, spread and infiltrate floodwater upstream in the watershed.
- Partner with the St Joseph River Basin Commission to define a natural resource overlay zone and support local adoption throughout the basin.
- Work with St Joseph River Basin Commission to promote adoption of comprehensive No-Adverse-Impact development ordinance and standards, as reflected in the LTAP Model Stormwater Ordinance and Technical Standards, by all counties and communities within the watershed.

6.6.3 Support SWCD Programs

The Elkhart County Soil and Water Conservation District (SWCD) established the Stormwater Alliance Management Program (SWAMP) to provide financial assistance to landowners for implementing conservation practices that reduce non-point source pollution and sediment loading into waterways. Practices funded through this program must be functional for five years and include cover crops, filter strips, grade stabilization structures, and grassed waterways. These practices add organic matter and improve overall soil health and productivity. Cover crops for example, increase storage of water within soil layers, which helps to reduce the frequency of the stream flows that determine the channel size, thereby reducing increases in streambank erosion and sedimentation (**Figure 6-13**).



Figure 6-13: Cover Crops Increase Water Storage in Soil

Recommended flood resilience strategy

- Support (non-monetary) SWCD programs upstream in the watershed to improve flood resiliency in the City of Goshen.

6.6.4 Reduce Impact from Tile and Surface Drains in the Watershed

Tile and surface drains from agricultural practices drain fields quickly and contribute to flooding downstream. The City of Goshen should work with the Elkhart County Surveyor's Office to explore ways, like two-stage ditch reconstruction or regional flood control facilities, to compensate the impact of additional drainage tiles and surface drains as they are considered and allowed within the watershed.

Recommended flood resilience strategy

- Partner with the County Surveyor to investigate methods to store floodwater in the watershed, in flood control facilities, two-stage ditches or similar, to reduce flooding downstream.

CHAPTER 7: IMPLEMENTATION CHECKLIST

Preparation and adoption of this Flood Resilience Plan is a necessary first step for the City of Goshen to reduce its vulnerability to future flooding events. However, the plan by itself is not going to bring flood resiliency to the city unless its recommendations are implemented in a sustained and methodical manner. The following checklists provides a summary of the flood resilience strategies identified in this plan. These are grouped by the mechanism necessary for their successful implementation. The numbers following each strategy refer to the section of the report where the recommendation is discussed in greater detail. **Appendix 5** includes a table that lists each flood resilience strategy, interim steps for implementation, the department or entity that should lead implementation and timeline. Successful implementation for the recommended strategies will depend on available funding and staff resources.

7.1 COMPREHENSIVE PLAN

- ☐ Add a discussion on flooding, climate change, and flood resilience planning areas to the Comprehensive Plan. (5.6)

7.2 ORDINANCES AND CODES

Stormwater Ordinance

- ☐ Customize and adopt the LTAP Model Stormwater Ordinance and Technical Standards and include requirements for fluvial erosion hazard areas, channel protection volume, compensatory flood storage, low impact development/green infrastructure and climate change. (5.1)
- ☐ Adopt standalone fluvial erosion hazard regulations to prohibit and if not possible, discourage new development and redevelopment in this area or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standards recommendation. (6.1.1)
- ☐ Adopt a standalone minimum 3:1 compensatory flood storage requirement or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standard recommendation. (6.2.2)

City Code and Zoning Ordinance – Landscape Standards

- ☐ Expand the tree preservation language in the Zoning Ordinance to include replacement of trees lost to development. Consider a tree mitigation ratio of 5:1 based on tree size and require a variety of native species to reduce the risk of mass tree casualties from future pest damage. (5.4)
- ☐ Promote the use of native plants in the Zoning Ordinance by requiring a high percentage to meet the landscape standards and update the recommended tree list in the City Code to include more native species and cultivars. (5.4)
- ☐ Allow vegetated green infrastructure practices, including parking areas, to count toward landscape requirements in the Zoning Ordinance. (5.4)

Zoning Ordinance – Flood Control District

- ☐ Update flood resilience planning areas based on updated FIRM information. (5.4)

- ☐ Amend the Flood Control District regulations to require new critical facilities to be located outside of known flood hazard areas, including the 0.2% AEP flood zone. If placement of new critical facilities in flood hazard area is unavoidable, the facility, including access, should be protected to at least one foot above the 0.2% AEP flood elevation. (5.4, 6.3.1 and 6.5.3)
- ☐ Amend the Flood Control District regulations to prohibit and if not possible, discourage new development and redevelopment in the floodway and undeveloped high flood hazard storage areas in the floodway fringe. (5.4, 6.1.2 and 6.2.1)
- ☐ Discourage new development and preserve the 0.2% AEP flood zone for additional flood storage for extreme flood events. (6.3.1)
- ☐ Require new development and redevelopment in the 0.2% AEP flood to have a flood protection grade equal to or greater than that required in SFHA (a minimum of two feet above the 1% AEP). (6.3.2)
- ☐ Guide growth and development including utilities and infrastructure to safer areas outside the SFHA, 0.2% AEP flood zone and localized flooding areas. (6.5.1)

Zoning Ordinance – Land Use

- ☐ Promote development that is sensitive to the natural environment through conservation design and development. (6.5.2)

7.3 CAPITAL PROJECTS

Redevelopment

- ☐ Focus redevelopment efforts (site preparation, remediation and public infrastructure) in locations that are designated as safe growth areas outside the 0.2% AEP floodplain and local flooding areas. (5.7)
- ☐ Consider climate change and flood impacts in capital projects; promote low impact development/green infrastructure to manage stormwater. (5.7)

Land Acquisition

- ☐ Continue to acquire available land in the SFHA for flood storage and compatible open space uses; build on the city-owned parkland along the Elkhart River and create a Central Park like amenity for the city and region. (5.7, 6.1.2 and 6.2.1)
- ☐ Acquire and demolish structures in the river corridor impact area first then acquire and demolish structures outside the river corridor impact area and inside the SFHA as properties become available and funding allows. (6.4.4 and 6.4.5)

7.4 COMMUNICATION, EDUCATION AND TRAINING

- ☐ Train city stormwater inspection and maintenance staff about green infrastructure practices to improve function, performance and appearance. (5.1)

- ☐ Expand current flood communication efforts and develop a flood risk education and outreach program to improve people's risk awareness and motivate them to take measures to protect themselves and their property. (5.2)

7.5 SUPPORTING EFFORTS AND PARTNERSHIPS

- ☐ Complete the flood resilience checklist at least annually to track progress made and continue to do so until all questions are marked "yes". (5.3)
- ☐ Cross-reference the Flood Resilience Plan, Comprehensive Plan, Redevelopment Capital Plan and Elkhart County MHMP for strategies and mitigation measures related to flooding, growth and development priorities. (5.6, 5.7 and 5.8)
- ☐ Ensure the City of Goshen is represented in the MHMP five-year update. (5.8)

Plans, Programs and Studies

- ☐ Work with the County to study and update the stormwater utility rate collectively, otherwise complete an independent Stormwater Utility Rate Study that includes stormwater program costs and a fair and equitable rate structure; update the stormwater utility accordingly within the City of Goshen. (5.5)
- ☐ Incorporate the flood resilience planning areas into the proposed Future Growth Plan. (5.7)
- ☐ Identify willing landowners of undeveloped land and partner them with entities willing to purchase, accept donations or hold conservation easements. (6.1.2 and 6.2.1)
- ☐ Prepare a Flood Response Plan that documents flood detection, warning, response and follow-up protocols. (6.4.1)
- ☐ Prepare a comprehensive citywide Stormwater Master Plan to understand and resolve drainage, flooding and water quality conditions citywide. (6.4.2)
- ☐ Upon implementation of flood resilience strategies, participate in the NFIP Community Rating System (CRS) program to reduce flood risk and improve flood resiliency and reduce flood insurance premiums for all flood insurance policy holders within the city. (6.4.3)
- ☐ Prepare a Voluntary Acquisition Plan to prioritize structures for relocation and/or buyout in the vulnerable developed area. (6.4.4 and 6.4.5)
- ☐ Create a Floodproofing Assistance Program to prioritize nonresidential structures for floodproofing, establish partnerships with willing landowners and secure available funding. (6.4.5)
- ☐ Implement a Flood Compliance Program to encourage owners of nonconforming uses to voluntarily meet flood regulations. (6.4.6)

County Partnerships

- ☐ Support (non-monetary) SWCD programs upstream in the watershed to improve flood resiliency in the City of Goshen. (6.6.3)
- ☐ Partner with the County Surveyor to investigate methods to store flood water in the watershed, in flood control facilities, two-stage ditches or similar, to reduce flooding downstream. (6.6.4)

Watershed Partnerships

- ☐ Partner with the USGS to add a new gage upstream of Goshen to improve flood detection and provide early warning through the NWS. (6.6.1)
- ☐ Partner with the NWS to expand the capabilities of the Elkhart River at Goshen gage to provide daily forecast information. (6.6.1)
- ☐ Participate in the Elkhart River Restoration Association and the St Joseph River Basin Commission planning activities and studies that help slow, spread and infiltrate flood water upstream in the watershed. (6.6.2)
- ☐ Partner with the St Joseph River Basin Commission to define a natural resource overlay zone and support local adoption throughout the basin. (6.6.2)
- ☐ Work with the St Joseph River Basin Commission to promote adoption of comprehensive No-Adverse-Impact development ordinance and standards, as reflected in the LTAP Model Stormwater Ordinance and Technical Standards, by all counties and communities within the watershed. (6.6.2)

SOURCES REFERENCED

American Planning Association (APA) Planning Advisory Service PAS Memo (January/February 2021). Building Resilience Through Plan Integration.

Association of State Floodplain Managers (2008) *Natural and Beneficial Floodplains Functions: Floodplain Management – More than flood Loss Reduction*.

http://www.floods.org/PDF/WhitePaper/ASFPM_NBF%20White_Paper_%200908.pdf

Association of State Floodplain Managers (2003). *No Adverse Impact: A Toolkit for Common Sense Floodplain Management*. https://s3-us-west-2.amazonaws.com/asfpm-library/FSC/NAI/ASFPM_No_Adverse_Impact_a_toolkit_for_common_sense_floodplain_management_2003.pdf

City of Goshen (2016) City Code

City of Goshen (2021) DRAFT Climate Action Plan

City of Goshen (2021) DRAFT Climate and Socio-Economic Vulnerability Assessment for Stormwater. Great Lakes Integrated Science and Assessments

City of Goshen (2019) Comprehensive Five-Year Park System Master Plan

City of Goshen (2016) Comprehensive Plan & Community Vision 2025

City of Goshen (2020) Redevelopment Five-Year Capital Plan 2020-2024

City of Goshen (1984) Zoning Ordinance

Elkhart County Multi-Hazard Mitigation Plan (2016)

Elkhart County Soil and Water Conservation District. Stormwater Alliance Management Program (SWAMP) <https://www.elkcoswcd.org/ag/costshare/>

Federal Emergency Management Agency (2011). Elkhart County Federal Insurance Rate Map (FIRM)

Federal Emergency Management Agency (2011). Elkhart County Federal Insurance Study (FIS)

Federal Emergency Management Agency *Executive Order 11988, Floodplain Management* <https://www.fema.gov/executive-order-11988-floodplain-management>

Federal Emergency Management Agency (2021) Flood Risk Report St Joseph Watershed. RiskMAP Study

Federal Emergency Management Agency (2020) Flood Risk Review St Joseph River Watershed, IN/MI Update. RiskMAP Study

First Street Foundation. Flood Factor <https://floodfactor.com/>

Global Change (2018) *National Climate Assessment* <https://nca2018.globalchange.gov/>

Indiana Climate Change Impact Assessment (IN CCIA) <https://ag.purdue.edu/indianaclimate/>

Indiana Department of Natural Resources (2018) *Floodplain Management in Indiana: Quick Guide*
https://www.in.gov/dnr/water/files/wa-FP_Management_Indiana_QuickGuide.pdf

Indiana Department of Natural Resources. Model Ordinance for Flood Hazard Areas

Indiana Department of Natural Resources (2008) *Post-Flood Guidance for Local Floodplain Administrators*
http://www.in.gov/dnr/water/files/407_all.pdf

Indiana Silver Jacket/Polis Center (2013) *FEH Analysis* <http://feh.iupui.edu/>

National Institute of Building Sciences News & Press: News Release “National Institute of Building Sciences Issues New Report on the Value of Mitigation” <https://www.nibs.org/news/381874/National-Institute-of-Building-Sciences-Issues-New-Report-on-the-Value-of-Mitigation.htm>

St Joseph River Basin Commission (2020). *North Branch Elkhart River Corridor Flood Risk Management Plan*.
<http://www.sjrbc.com/news/2020/NorthBranchElkhartRiver/index.html>

Stats Indiana <http://www.stats.indiana.edu/>

U.S. Environmental Protection Agency Office of Sustainable Communities (2014) “Planning for Recovery and Long-Term Resilience in Vermont” <https://www.epa.gov/sites/production/files/2014-07/documents/vermont-sgia-final-report.pdf>

**APPENDIX 1: PROJECT TEAM MEETING SUMMARIES, WORKSHEETS
AND PRESENTATION**

City of Goshen Flood Resilience Plan

Project Team Meeting (Zoom)

1 pm Thursday, December 17, 2020

SUMMARY

City of Goshen:

Mark Brinson, Community Development Director

Jason Kauffman, Stormwater Coordinator

Mattie Lehman, Stormwater Specialist

Aaron Sawatsky-Kingsley, Environmental Resilience Director

Dustin Sailor, Public Works Director

Theresa Sailor, Environmental Educator

Jeremy Stutsman, Mayor

Rhonda Yoder, Planning and Zoning Administrator

Christopher B. Burke Engineering:

Siavash Beik

Sheila McKinley

Matt Rummel

1. Purpose, Scope, and Schedule for the Flood Resilience Plan

Burke staff opened the meeting with an overview on climate change in Indiana, the observed increased intensity and frequency of large rain events and damages that result from extreme flood events. And explained that the purpose of this planning effort is to identify and implement smart growth strategies for flood resilience in the City of Goshen. The project scope, anticipated schedule and list of project team members were reviewed. Following some discussion, the project team agreed to add representatives from City Council, the Street Commissioner and the Elkhart County EMA.

2. Discuss Past Flood Events and Areas Impacted

Burke staff initiated a discussion about past flood events, areas that flood, and road overtopping. City staff shared GIS maps that showed flood depth data collected from the 2018 flood, news articles and other resources available that could be used in this planning effort.

3. Complete the Flood Resilience Checklist

Burke staff provided some background on the Community Flood Resilience Checklist and that it has been customized based on an initial review of Goshen policies and regulatory tools. The project team talked through the strategies in the checklist and identified those that are already in place, those in place but could use some enhancements and missing strategies (attached). This checklist will form the basis of the recommendations in the Flood Resilience Plan.

4. Next Steps in the Planning Process

Burke staff shared that the next steps in the planning process will be to map flood resilience planning areas in GIS and follow-up on checklist strategies with individual protect team members to begin to draft recommended strategies. The next project team meeting will be sometime in February to review the flood resilience planning areas.

City of Goshen Flood Resilience Plan

COMMUNITY FLOOD RESILIENCE CHECKLIST

Completed December 17, 2020

The Community Flood Resilience Checklist identifies opportunities to improve resilience to future floods through policy and regulatory tools and non-regulatory programs. The checklist includes strategies that assess how well a community is positioned to avoid or reduce flood damage and recover from floods.

The strategies are organized into the following categories: improve overall resilience; conserve land and discourage development in river corridors and undeveloped floodplain; protect people, businesses and existing facilities in the floodplain; direct future growth away from vulnerable flood areas and coordinate stormwater management practices throughout the watershed.

Christopher B. Burke Engineering has adapted this checklist from the USEPA Smart Growth program and customized it for the City of Goshen. The city should revisit this checklist annually to track progress made and continue to do so until all questions are marked “yes”.

A. OVERALL STRATEGIES TO ENHANCE RESILIENCE			Notes
1. Is the Comprehensive Plan current (within 10 years) and adopted by the city?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	“Community Plan & Community Vision 2025” adopted 2016
a. Does the Comprehensive Plan include a goal to preserve the natural and beneficial function of floodplains?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	NE-1 preserve/protect lists floodplains L-4 minimize impact development on natural environment/hydric soils
b. Does the Comprehensive Plan include a goal to preserve and enhance urban tree cover for stormwater management?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	NE-4 urban forestry program benefit stormwater runoff
c. Does the Comprehensive Plan include a goal to provide connectivity of people to the waterways (trails, parks, public access points)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	NE-2 develop Elkhart River as asset Millrace Canal Trail; Pumpkinvine Nature Trail near Rock Run Creek
d. Does the Comprehensive Plan cross-reference the Elkhart County Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
e. Did emergency managers, public works and floodplain administrator participate in the development of the Comprehensive Plan?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	City Public Safety (ROOM FOR ENHANCEMENT)

2. Is the County Multi-Hazard Mitigation Plan current (within 5 years), approved by FEMA and adopted by the city?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Approved and adopted 2016
a. Did the city planner participate in the development of the Multi-Hazard Mitigation Plan?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Listed, participation limited (ROOM FOR ENHANCEMENT)
b. Were stakeholders affected by floods involved in the development of the Multi-Hazard Mitigation Plan?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Public invited, low participation (countywide planning effort)
c. Does the Multi-Hazard Mitigation Plan include mitigation practices to preserve the natural and beneficial function of floodplains?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Land Use Planning & Zoning – overlay zones; low impact development; safe growth audit; incorporate into Comp Plan
3. Is the Flood Control District based on the IDNR State Model Flood Hazard Ordinance?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Zoning Ordinance Art IV Zoning Districts FCD Flood Control District (Overlay) Adopted 2020
a. Does the Flood Control District include a requirement for compensatory flood storage?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
b. Does the Flood Control District require critical facilities to be located outside the floodplain as well as access/egress?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	“to extent possible” (ROOM FOR ENHANCEMENT)
c. Does the city require building expansion and new accessory structures in the floodplain to meet additional requirements?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Flood District covers new construction and substantial improvements (ROOM FOR ENHANCEMENT)
d. Does the city participate in the National Flood Insurance Program (NFIP)?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
e. Does the city participate in the Community Rating System (CRS) program?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
4. Does the Stormwater Management Code promote low impact development/green infrastructure?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
a. Does the Stormwater Management Code include requirements to reduce and treat runoff from impervious areas?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	MS4 requirements only (ROOM FOR ENHANCEMENT)

b. Does the Stormwater Management Code include a requirement for channel protection volume?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
c. Does the Stormwater Management Code include a requirement for compensatory storage?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
d. If not in the Comprehensive Plan, does the Stormwater Management Code include a requirement for fluvial erosion hazard (FEH) areas?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
5. Does the Zoning/Subdivision Control Ordinances promote low impact development and green infrastructure?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
e. Does the Ordinance include maximums for impervious cover?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Minimums for street width, parking (ROOM FOR ENHANCEMENT)
f. Does the Ordinance promote native plants to meet landscape standards?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Conflict with weed ordinance Comp Plan NE-1 encourages native plants
g. Does the Ordinance include tree replacement and/or tree mitigation standards?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
6. Is the Capital Plan recent (within 5 years) and been approved and adopted by the city? (Utilities/Redevelopment)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not unified CIP, Utilities and Redevelopment most applicable (ROOM FOR ENHANCEMENT)
a. Does the Capital Plan cross-reference the Comprehensive Plan and Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
b. Does the Capital Plan include flood mitigation projects with low impact development/green infrastructure solutions?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Not as a priority, acquisition along river for redevelopment
7. Does the city consider possible flood impacts from climate change in their plans, policies and projects?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Climate Action Plan (in progress)
8. Does the city have a stormwater utility to fund stormwater projects and programs long-term?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	\$1.50 ERU in partnership w County, Elkhart and Bristol – plans to establish own utility to generate more funds (ROOM FOR ENHANCEMENT)

a. Does the funding mechanism include an incentive to promote low impact development/green infrastructure?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Residential rain barrel cost-share program only
9. Does the city conduct an annual review/audit of plans, programs, and policies to ensure consistency?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	

B. CONSERVE LAND & DISCOURAGE DEVELOPMENT IN THE RIVER CORRIDOR & UNDEVELOPED HIGH FLOOD HAZARD/FLOOD STORAGE AREAS			Notes
1. Does the Comprehensive Plan include a goal to prohibit development in stream meander zones or fluvial erosion hazard (FEH) areas?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	NE-2 directs growth from farmland, wetlands and forest (add floodplain) Flood District includes erosion hazard (ROOM FOR ENHANCEMENT)
1. Does the Zoning Ordinance include a river corridor overlay district that prohibits development and land disturbances?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
2. Does the Zoning/Subdivision Control Ordinance allow for cluster development, density bonuses as incentives to protect/conserv floodplains?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
3. Does the city use incentives or non-regulatory strategies to maintain undeveloped land in the floodplain?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
a. Does the city encourage floodplain landowners to restore infiltration properties of the soil?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
b. Does the city encourage floodplain landowners to maintain/enhance native vegetation in river corridors, floodplains and wetlands?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Education through MS4 program (rain gardens)
c. Does the city encourage floodplain landowners to partner with land trusts or SWCD to hold the land in a conservation easement through a cost-share, donation or purchase agreement?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Limited land in floodplain for conservation easement

C. PROTECT PEOPLE & EXISTING BUILDINGS IN FLOODPRONE AREAS			Notes
1. Does the Comprehensive Plan and Multi-Hazard Mitigation Plan identify developed areas that have been or are likely to flood?	<input checked="" type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Comp Plan – no, MHMP – yes

a. Does the Multi-Hazard Mitigation Plan identify critical facilities and infrastructure in the floodplain?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Identified 3 FW & 2 1% City unfamiliar with MHMP (ROOM FOR ENHANCEMENT)
b. Does the Multi-Hazard Mitigation Plan include mitigation practices to acquire or floodproof at-risk structures?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Identified 300 structures in SFHA City unfamiliar with MHMP (ROOM FOR ENHANCEMENT)
c. Is the city willing to cost share with property owners on voluntary acquisition, relocation and/or floodproofing projects?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	More information needed (ROOM FOR ENHANCEMENT)
d. Does the city use incentives or cost-share programs to protect existing critical facilities in the floodplain including access/egress?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
2. Does land development codes and building codes promote safer building and rebuilding in floodprone areas?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
a. Does the city follow the International Building Code to promote flood-resistant design and construction?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	
b. Does the city use incentives or cost-share programs to bring non-conforming use and structures into compliance?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
c. Does the city require redevelopment projects in the floodplain to provide additional flood storage/meet higher stormwater standards?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
3. Is the city able to impose a building moratorium on all new development following a disaster?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Legal question. Not necessary since delayed naturally by volume

D. PLAN FOR AND ENCOURAGE NEW DEVELOPMENT OUTSIDE OF THE FLOODPLAIN			Notes
1. Does the Comprehensive Plan guide future growth and development to areas outside the floodplain?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Not exclusively (ROOM FOR ENHANCEMENT)
2. Does the city use incentives such as TIF districts, density bonuses, stormwater utility credits to steer new development to safer areas outside the floodplain?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	

3. Does the Capital Plan support development and expansion of infrastructure outside of the floodplain?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Limited by default (ROOM FOR ENHANCEMENT)
---	---	-----------------------------	--

E. IMPLEMENT STORMWATER MANAGEMENT THROUGHOUT THE WATERSHED			Notes
1. Does the city participate in watershed-based planning activities to manage stormwater?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No	Elkhart River Restoration Association St Joe River Basin Commission
2. Does the city participate in a multi-jurisdictional/regional effort to link and protect wooded areas, floodplains and wetlands?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	
3. Does the city coordinate planning, policy, and/or projects with other communities in the watershed?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No	Limited beyond stormwater

City of Goshen Flood Resilience Plan

Project Team Meeting (Zoom)

2 pm Tuesday, February 23, 2021

SUMMARY

City of Goshen:

Mark Brinson, Community Development Director
Jason Kauffman, Stormwater Coordinator
Mattie Lehman, Stormwater Specialist
Julia King, City Council Member
Aaron Sawatsky-Kingsley, Environmental Resilience Director
Dustin Sailor, Public Works Director
Theresa Sailor, Environmental Educator
Mark Schrock, City Council Member
Jeremy Stutsman, Mayor
Rhonda Yoder, Planning and Zoning Administrator

Christopher B. Burke Engineering:

Siavash Beik
Sheila McKinley
Matt Rummel

1. Introduction and Recap of Project Purpose and Work to Date

Burke staff discuss the project purpose, planning approach and an overview of what work had been completed so far in the planning process.

2. Discuss Purpose and Intent of Flood Resilience Planning Areas

Burke staff shared a table (below) to introduce the different flood resilience planning areas, discussed how the area is defined and the purpose of each area. Strategies for flood resilience will be identified for each of these planning areas.

Planning Area	Area Defined	Purpose
River Corridor Impact Areas	Regulatory floodway or Fluvial Erosion Hazard (FEH) area, whichever is greater	To conserve land and prohibit development

Vulnerable Developed Areas	Existing developed land in the Special Flood Hazard Area (SFHA) including the floodway and floodway fringe	To protect people, buildings, and facilities in the vulnerable areas and reduce future flood risk
Undeveloped High Hazard/Flood Storage Areas	Undeveloped land in the floodway fringe	To conserve land and maintain the natural and beneficial function of the floodway fringe, and discourage future development in these areas
Moderate Flood Hazard Areas	0.2% Annual Exceedance Probability flood zone or 500-year floodplain	To identify areas that are subject to flooding during an extreme event and to discourage placement of critical facilities in these areas
Safer Areas	Outside the SFHA, but within the planning jurisdiction	To plan for and promote development in areas that are less vulnerable to future floods
Watershed	Entire drainage area	To promote coordination and partnerships and implement practices to slow, spread and infiltrate flood water

3. Review Mapped Areas, 2018 Flood Data and Land Use Designations

Burke staff shared an ArcGIS Online map that showed the flood resilience planning areas for the City of Goshen based on current floodplain mapping. The project team reviewed each area and stream segment and discussed areas that flood, studies and projects as well as implications of higher standards for development. Additional data was shared and will be incorporated into updated flood resilience maps.

4. Closing Comments and Next Steps in the Planning Process

Burke staff offered to update the ArcGIS Online maps with the comments from the meeting and the additional data provided by the city. The updated map will be routed for the project team to review and comment. Before the next project team meeting, Burke staff will be reaching out to individual project team members to discuss details of local plans and regulations. This will help craft the most appropriate flood resilience strategies.

City of Goshen Flood Resilience Plan

Project Team Meeting (Zoom)

9 am Thursday, May 27, 2021

SUMMARY

City of Goshen:

Mark Brinson, Community Development Director
Jason Kauffman, Stormwater Coordinator
Mattie Lehman, Stormwater Specialist
Julia King, City Council Member
Aaron Sawatsky-Kingsley, Environmental Resilience Director
Dustin Sailor, Public Works Director
Theresa Sailor, Environmental Educator
Mark Schrock, City Council Member
Jeremy Stutsman, Mayor
Rhonda Yoder, Planning and Zoning Administrator

Christopher B. Burke Engineering:

Siavash Beik
Sheila McKinley

1. Welcome and Recap of Project Purpose and Work to Date

Burke staff discuss the project purpose, planning approach and an overview of what work had been completed so far in the planning process.

2. Review and Prioritize Flood Resilience Strategies/Discuss Method, Resources and Timeline for Implementation

Burke staff introduced the recommended flood resilience strategies to the project team. Following some discussion, revisions and clarification, the team prioritized the strategies in order of importance within the individual flood resilience planning areas and then identified which were the highest priority overall. The method of how the strategy would get implemented, resources needed and timeline were discussed as well. The meeting ran long and the project team was assigned homework to finish the worksheet. The completed worksheet is attached.

3. Next Steps: Review Draft Plan

Burke staff shared that the next step is to review the draft plan which should be distributed in July.

AREA	PROPOSED STRATEGIES	PRIORITY		IMPLEMENTATION: METHOD, RESOURCES & TIMELINE
		WITHIN AREA	OVERALL (H=High)	
OVERALL/ CITYWIDE	1. Update Comprehensive Plan <ul style="list-style-type: none">- Add discussion flood risk and climate change- Introduce/define flood resilience planning areas- Promote growth/development in safer areas- Add Urban Tree Canopy Goal	4		M: update to CP R: draft language, maps T: 2025; possible to amend sooner
	2. Update Zoning and Subdivision Development Ordinances; City Code Trees: <ul style="list-style-type: none">- Promote/incentivize planting/preserving natives- Add tree replacement/mitigation standards/ratios Flood Hazard: <ul style="list-style-type: none">- Add/define flood resilience overlay zones- Prohibit development in floodway and discourage in floodway fringe Stream Buffer <ul style="list-style-type: none">- Add streamside forest/buffer strips requirement; size proportional to waterway;	2		M: amend codes R: draft language T: following CP update; possible to amend sooner
	3. Update Stormwater Ordinance & Technical Standards <ul style="list-style-type: none">- Customize/adopt LTAP Model SW O&TS include compensatory storage, FEH, LID/GI	1	H	M: model SW O&TS R: customize T: 2022
	4. Update Redevelopment Capital Improvement Plan <ul style="list-style-type: none">- Promote growth/development in safer areas- Use LID/GI redevelopment projects- Land Use Plan/Future Growth Plan (RFP Summer 2021)	4		M: new Land Use Plan/Future Growth Plan R: maps, projections, guidance? T: 2022
	5. Conduct policy audits and update plans for consistency <ul style="list-style-type: none">- Revisit Flood Resilience Checklist annually- Consider flood and climate change impacts	1		M: meeting R: Flood Resilience Plan Project Team T: annually (min)
	6. Flood Risk Communication, Education & Outreach <ul style="list-style-type: none">- Educate all groups about flooding, flood risk- Expand existing educational programs- Need for GI design, construction, maintenance training (city)- Create future flood map/articulate frequency of storms (visual)	1		M: expand efforts R: Maple City Now/webpage T: ongoing
	7. Stormwater Utility Fee/In-lieu Fee Program <ul style="list-style-type: none">- Adjust fee in city limits to cover projects; maintain billing through county; if not, stand alone- Create in-lieu stormwater fee program where space is limited; regional ponds with onsite BMPs for water quality	3		M: work w county R: rate study; billing T: 2022?
RIVER CORRIDOR	1. Adopt a River Corridor Overlay Zone <ul style="list-style-type: none">- Prohibit (discourage) future land disturbance/development- Distinguish FW & FEH; alternatives to adopting River Corridor	1	H	M: update zoning R: map, language T: 2022?
	2. Protect Undeveloped Land <ul style="list-style-type: none">- Acquisition or partner landowners with organizations like land trusts- Create a “Central Park” along Elkhart River	1	H	M: acquisition/easement R: list of options and contact information T: 2030? 2050?
	3. Reconstruct City-maintained Open/Tile Drains <ul style="list-style-type: none">- Provide flood storage/water quality improvement with 2-stage ditch/ greenway/ recreation corridor (Carter Road Ditch, Pumpkinvine Ditch, Sommers Ditch, Stutsman Ditch, Wellington Ditch, West Goshen Ditch)	2		M: CP/CIP R: city ownership only T: as opportunity
UNDEVELOPED HIGH FLOOD HAZARD/ FLOOD STORAGE AREA	1. Protect Undeveloped Land <ul style="list-style-type: none">- Acquisition/partner landowners with organizations willing to purchase, accept donations, easements- Expand “Central Park” concept along Elkhart River	1		M: acquisition/easement R: list of options and contact information T: 2030? 2050?
	2. Establish Compensatory Storage Requirements <ul style="list-style-type: none">- Minimum 3:1 compensation when fill in the floodway fringe is unavoidable	1		M: model SW O&TS R: customize T: 2022
	3. Prohibit New Critical Facilities <ul style="list-style-type: none">- Strengthen current language “to extent possible”	1		M: update zoning R: draft language T: 2022?
MODERATE FLOOD HAZARD AREA	1. Discourage New Development <ul style="list-style-type: none">- Prepare for 500-year floodplain to become the new 100-year floodplain	1		M: update zoning R: draft language T: 2022?
	2. Require Higher Standards for Buildings <ul style="list-style-type: none">- Require buildings to have a FPG equal or greater to that required in SFHA- Require critical facilities to have a FPG above the 0.2% chance flood elevation	1		M: update zoning R: draft language T: 2022?

VULNERABLE DEVELOPED AREA	1. Voluntary Acquisition of Structures INSIDE River Corridor <ul style="list-style-type: none"> - 155 structures (earlier mapping) - Prioritize based on potential public use, connectivity, location - Depending on interest, may require dedicated staff 	2		M: prepare a Voluntary Acquisition Plan R: property details, depth flooding, prioritization, etc. T: 2023 plan; 2026 start?
	2. Voluntary Acquisition of Structures OUTSIDE River Corridor <ul style="list-style-type: none"> - 272 structures (earlier mapping) - Prioritize based on severity of flood risk - Depending on interest, may require dedicated staff 	4		M: prepare a Voluntary Acquisition Plan R: property details, depth flooding, prioritization, etc. T: 2023 plan; 2030 start?
	3. Floodproof Structures Outside River Corridor <ul style="list-style-type: none"> - Nonresidential only; incentive or cost-share program - Prioritize based on severity of flood risk - Depending on interest, may require dedicated staff 	3		M: establish Floodproofing Assistance Program R: FEMA floodproofing techniques/requirements, prioritize, outreach to businesses T: 2023 prog; 2026 start?
	4. Bring Nonconforming Uses into Compliance <ul style="list-style-type: none"> - Outside requirements for substantial improvement - Older structures not compliant with current flood regulations; provide incentives, cost-share, waived permit fees - Depending on interest, may require dedicated staff 	4		M: establish Compliance Program; identify incentive R: education and outreach T: 2023 prog; 2026 start?
	5. Participate in the NFIP Community Rating System <ul style="list-style-type: none"> - Program lowers flood insurance premiums for communities that have higher flood standards; 32 communities in Indiana participate 	2		M: populate checklist online, meet with CRS rep R: existing flood policies, outreach efforts, etc. T: 2022 start; annual recert
	6. Prepare a Flood Response Plan <ul style="list-style-type: none"> - Improves flood response efforts; schedule of activities tied to flood levels, prevents duplication and avoids gaps in response 	1	H	M: prepare plan R: actions for flood fight T: 2023?
	7. Prepare a Citywide Stormwater Master Plan <ul style="list-style-type: none"> - Prioritize, study and identify solutions for flood impact areas (GLISA Vulnerability Assessment – 18 areas 2018 flood) including Trinity Square Shopping Center, Linway Plaza/Lincoln Avenue Business, Huron Street Neighborhood, Roxy Mobile Home Park, road/intersection flooding, sanitary sewer lift stations and more 	1		M: Prepare plan R: detail study problem areas, prioritized solutions and costs, stormwater asset condition assessment T: following GLISA work?
SAFER AREA	1. Guide Growth and Development to Safer Areas <ul style="list-style-type: none"> - Promote smart growth principles/mixed use developments, conservation design - Prioritize capital projects in safer areas - Incentivize with TIF districts, flexible zoning practices, permit waivers - Future Growth Plan 	1		M: new Land Use Plan/Future Growth Plan R: maps, projections, guidance? T: 2022
	2. Allow Critical Facilities			M: update zoning R: draft language T: 2022?
WATERSHED	1. Watershed Partnerships <ul style="list-style-type: none"> - Increase participation in Elkhart River Restoration Association and St Joseph River Basin Commission and watershed planning activities/studies - Engage in multi-jurisdictional/regional efforts to link and protect wooded areas, floodplains and wetlands - Support uniform no-adverse impact (NAI) stormwater standards - Support sustainable design and maintenance practices for waterbodies 	1		M: city participation R: initiate ideas and support implementation T: ongoing
	2. Upstream Flood Storage <ul style="list-style-type: none"> - Investigate options for flood storage upstream using dry detention or regional pond (economic development benefit) - Controlled structures on select tributaries with dedicated flood easements on private land undeveloped land, when needed for flood storage, flood loss expenses paid to landowner by city 	2		M: study flood storage needs (component of Stormwater Master Plan?) R: volume/area needed; identify land and funding T: standalone or following GLISA work?
	3. Support SWCD Programs <ul style="list-style-type: none"> - Stormwater Alliance Management Program (SWAMP) cost-share - Soil health and tillage practices - Education, trainings, workshops, equipment rental 	2		M: city participation R: initiate ideas and support implementation T: ongoing
	4. Enhanced and Additional USGS Stream Gages <ul style="list-style-type: none"> - Add forecast capabilities to Elkhart River at Goshen gage - Add new gage upstream for advanced flood warning and notification (upstream gage is North Branch Elkhart at Cosperville) 	1		M: USGS gages R: explore options and resources needed with USGS T: tie to Flood Response Plan 2023?

PLACEHOLDER FOR POWERPOINT TO CITY COUNCIL

APPENDIX 2: BLANK FLOOD RESILIENCE STRATEGIES CHECKLIST

COMMUNITY FLOOD RESILIENCE CHECKLIST

The Community Flood Resilience Checklist identifies opportunities to improve resilience to future floods through policy and regulatory tools and non-regulatory programs. The checklist includes strategies that assess how well a community is positioned to avoid or reduce flood damage and recover from floods.

The strategies are organized into the following categories: improve overall resilience; conserve land and discourage development in river corridors and undeveloped floodplain; protect people, businesses and existing facilities in the floodplain; direct future growth away from vulnerable flood areas and coordinate stormwater management practices throughout the watershed.

Christopher B. Burke Engineering has adapted this checklist from the USEPA Smart Growth program and customized it for the City of Goshen. The city should revisit this checklist annually to track progress made and continue to do so until all questions are marked “yes”.

A. OVERALL STRATEGIES TO ENHANCE RESILIENCE		
1. Is the Comprehensive Plan current (within 10 years) and adopted by the City?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the Comprehensive Plan include a goal to preserve the natural and beneficial function of floodplains?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Comprehensive Plan include a goal to preserve and enhance urban tree cover for stormwater management?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the Comprehensive Plan include a goal to provide connectivity of people to the waterways (trails, parks, public access points)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Does the Comprehensive Plan cross-reference the Elkhart County Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
e. Did emergency managers, public works and floodplain administrator participate in the development of the Comprehensive Plan?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2. Is the County Multi-Hazard Mitigation Plan current (within 5 years), approved by FEMA and adopted by the City?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Did the city planner participate in the development of the Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Were stakeholders affected by floods involved in the development of the Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the Multi-Hazard Mitigation Plan include mitigation practices to preserve the natural and beneficial function of floodplains?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
3. Is the Flood Control District based on the IDNR State Model Flood Hazard Ordinance?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

a. Does the Flood Control District include a requirement for compensatory flood storage?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Flood Control District require critical facilities to be located outside the floodplain as well as access/egress?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the city require building expansion and new accessory structures in the floodplain to meet additional requirements?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Does the city participate in the National Flood Insurance Program (NFIP)?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
e. Does the city participate in the Community Rating System (CRS) program?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
4. Does the Stormwater Management Code promote low impact development/green infrastructure?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the Stormwater Management Code include requirements to reduce and treat runoff from impervious areas?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the Stormwater Management Code include a requirement for channel protection volume?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Stormwater Management Code include a requirement for compensatory storage?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. If not in the Comprehensive Plan, does the Stormwater Management Code include a requirement for fluvial erosion hazard (FEH) areas?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
5. Does the Zoning/Subdivision Control Ordinances promote low impact development and green infrastructure?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Zoning Ordinance include maximums for impervious cover?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the Zoning Ordinance promote native plants to meet landscape standards?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
d. Does the Zoning Ordinance include tree replacement and/or tree mitigation standards?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
6. Is the Capital Plan recent (within 5 years) and been approved and adopted by the City? (Utilities/Redevelopment)	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the Capital Plan cross-reference the Comprehensive Plan and Multi-Hazard Mitigation Plan?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Capital Plan include flood mitigation projects with low impact development/green infrastructure solutions?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

7. Does the city consider possible flood impacts from climate change in their plans, policies and projects?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
8. Does the city have a stormwater utility to fund stormwater projects and programs long-term?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the funding mechanism include an incentive to promote low impact development/green infrastructure?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
9. Does the city conduct an annual review/audit of plans, programs, and policies to ensure consistency?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

B. CONSERVE LAND & DISCOURAGE DEVELOPMENT IN THE RIVER CORRIDOR & UNDEVELOPED HIGH FLOOD HAZARD/FLOOD STORAGE AREAS

1. Does the Comprehensive Plan include a goal to prohibit development in stream meander zones or fluvial erosion hazard (FEH) areas?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
1. Does the Zoning Ordinance include a river corridor overlay district that prohibits development and land disturbances?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2. Does the Zoning/Subdivision Control Ordinance allow for cluster development, density bonuses as incentives to protect/conservate floodplains?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
3. Does the city use incentives or non-regulatory strategies to maintain undeveloped land in the floodplain?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the city encourage floodplain landowners to restore infiltration properties of the soil?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the city encourage floodplain landowners to maintain/enhance native vegetation in river corridors, floodplains and wetlands?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the city encourage floodplain landowners to partner with land trusts or SWCD to hold the land in a conservation easement through a cost-share, donation or purchase agreement?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

C. PROTECT PEOPLE & EXISTING BUILDINGS IN FLOODPRONE AREAS

1. Does the Comprehensive Plan and Multi-Hazard Mitigation Plan identify developed areas that have been or are likely to flood?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the Multi-Hazard Mitigation Plan identify critical facilities and infrastructure in the floodplain?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the Multi-Hazard Mitigation Plan include mitigation practices to acquire or floodproof at-risk structures?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Is the city willing to cost share with property owners on voluntary acquisition, relocation and/or floodproofing projects?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

d. Does the city use incentives or cost-share programs to protect existing critical facilities in the floodplain including access/egress?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2. Does land development codes and building codes promote safer building and rebuilding in floodprone areas?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
a. Does the city follow the International Building Code to promote flood-resistant design and construction?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
b. Does the city use incentives or cost-share programs to bring non-conforming use and structures into compliance?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
c. Does the city require redevelopment projects in the floodplain to provide additional flood storage/meet higher stormwater standards?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
3. Is the city able to impose a building moratorium on all new development following a disaster?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

D. PLAN FOR AND ENCOURAGE NEW DEVELOPMENT OUTSIDE OF THE FLOODPLAIN

1. Does the Comprehensive Plan guide future growth and development to areas outside the floodplain?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2. Does the city use incentives such as TIF districts, density bonuses, stormwater utility credits to steer new development to safer areas outside the floodplain?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
3. Does the Capital Plan support development and expansion of infrastructure outside of the floodplain?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

E. IMPLEMENT STORMWATER MANAGEMENT THROUGHOUT THE WATERSHED

1. Does the city participate in watershed-based planning activities to manage stormwater?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
2. Does the city participate in a multi-jurisdictional/regional effort to link and protect wooded areas, floodplains and wetlands?	<input type="checkbox"/> Yes	<input type="checkbox"/> No
3. Does the city coordinate planning, policy, and/or projects with other communities in the watershed?	<input type="checkbox"/> Yes	<input type="checkbox"/> No

**APPENDIX 3: LIST OF EDUCATION RESOURCES FOR RISK
COMMUNICATION AND OUTREACH**

List of Education Resources for Risk Communication & Outreach

Flood Risk Communication Toolkit for Community Officials

FEMA

<https://www.fema.gov/floodplain-management/manage-risk/communication-toolkit-community-officials>

The Flood Risk Communication Toolkit was developed to help community officials begin and maintain an open channel for communication. The Toolkit includes templates and guides for designing a communication plan, effective public meetings, and a social media strategy for addressing flood risk. It is supported by story maps and [videos](#) that visually communicate the objectives of updating flood risk data and maps.

No Adverse Impact (NAI) How-to Guide for Education and Outreach

ASFPM

https://s3-us-west-2.amazonaws.com/asfpm-library/FSC/NAI/NAI_Education_2014.pdf

This guide is one of a series of how-to guides that expand on the knowledge base within the No Adverse Impact Toolkit. It identifies tools for incorporating NAI floodplain management into local regulations, policies and programs; while the How-to Guides break down, by subject matter, that information into compact, usable information communities can apply.

Understanding and Managing Flood Risk: A Guide for Elected Officials

ASFPM

<https://floodsciencecenter.org/products/elected-officials-flood-risk-guide/>

This three-part guide breaks down the key information you need to fulfill your responsibility as an elected official. Wise flood management provides the means to address your flood problems before, during, and after an event, as well as create sustainable development for future generations.

Risk Communication

NOAA

<https://www.performance.noaa.gov/risk-communication/>

Includes links to several guides and presentations on risk communication basics, behavior and techniques. Materials are based on research from NOAA and its external partners to improve the ability to deliver weather and warnings, communicate local hazards and risks, and provide guidance and decision support tools to stakeholders more effectively.

Understanding Flood Risk Decision-making: Implications for Flood Risk Communication Program Design

Resources for the Future Discussion Paper

<https://media.rff.org/documents/RFF-DP-15-01.pdf>

Floodplain land-use decisions are made by individuals in households, businesses, and local governments. Whatever the venue, the decisions made are the outcome of multiple interacting influences, with one being consideration of flood risk. The goal of a flood risk communication program may be to improve the understanding of flood risk among those making decisions. An alternative goal may be to change the decisions made. Understanding how individuals make decisions and the mental strategies they employ,

as well as understanding the larger context of decision-making, will contribute to better defining the goals of a flood risk communication program and then designing a program that will secure those goal.

Communicating Flood Risks in a Changing Climate: Nine Principles for Promoting Public Engagement

Climate Outreach

<https://climateoutreach.org/reports/communicating-flood-risks-in-a-changing-climate/>

The purpose of the workshop was to share and synthesize knowledge, as well as identify areas of agreement and 'best practice' principles for communicating flood risks in a changing climate. A draft of these best practice principles was produced during the second half of the workshop, and then developed through further analysis of audio recordings of workshop discussions. This report reflects the outcomes of the workshop

**APPENDIX 4: LIST OF LAND TRUSTS, AGENCIES AND COST-SHARE
PROGRAMS**

List of Land Trusts, Agencies, and Cost-share Programs

Offering tax or other monetary incentives is an effective way to conserve land and discourage development in river corridors and vulnerable lands. Educating landowners on available programs allows the residents to realize the benefits of enrolling in such programs. More information can be found through the following organizations and institutions:

LAND TRUSTS

Wood-Land-Lakes RC&D Land Trust

59520 County Rd 31
Middlebury, IN 46540-9203
(260) 665-7723
<https://wood-land-lakes.org/>

ACRES Land Trust

1802 Chapman Road
PO Box 665
Huntertown, IN 46748
(260) 637-2273
<https://acreslandtrust.org/>

Red-tail Land Conservancy

125 E Charles St., Ste. 200
Muncie, IN 47305-2478
(317) 288-2587
<http://www.fortheland.org>

The Nature Conservancy

INDIANA FIELD OFFICE
EFROYMSON CONSERVATION CENTER
620 E. Ohio St.
Indianapolis, IN 46202
(317) 951-8818
<http://www.nature.org/ourinitiatives/regions/northamerica/unitedstates/indiana/>

Indiana Land Protection Alliance

<http://www.nature.org/ourinitiatives/regions/northamerica/unitedstates/indiana/partners/indiana-land-protection-alliance.xml>

Land Trust Alliance

<http://www.landtrustalliance.org/>

AGENCIES & COST-SHARE PROGRAMS

Elkhart County Soil and Water Conservation District (SWCD)

59358 County Road 7

Elkhart, IN 46517

(574) 523-2030

<https://www.elkcoswcd.org/>

IDNR

Department of Natural Resources

402 West Washington Street

Indianapolis, IN 46204

(317) 232-4200 or (877) 463-6367

<http://www.in.gov/dnr/>

IDNR Division of Fish and Wildlife - Landowner Assistance Program

<http://www.in.gov/dnr/fishwild/2352.htm>

- Classified Forest and Wildlands Program
- Game Bird Habitat Development Program
- Wildlife Habitat Cost-Share Program
- Game Bird Partnership Program
- N.E. Wetland/Grassland Restoration Program

USDA Natural Resources Conservation Service

Indiana NRCS State Office

6013 Lakeside Boulevard

Indianapolis, IN 46278

(317) 290-3200

<http://www.nrcs.usda.gov/wps/portal/nrcs/site/in/home/>

- Wildlife Habitat Incentives Program (WHIP)
- Wetlands Restoration Program (WRP)
- Environmental Quality Incentives Program (EQIP)
- Conservation Reserve Enhancement Program (CREP)
- Conservation Reserve Program (CRP)
- Conservation Reserve Program (CRP) – Continuous Sign-up Program

U.S. Fish and Wildlife Service

Northern Indiana Ecological Services Sub-Office

1000 WEST OAKHILL ROAD

PORTER, INDIANA 46304-9722

(219) 983-9753

<http://www.fws.gov/midwest/northernindiana/>

- Partners for Fish and Wildlife Program

APPENDIX 5: IMPLEMENTATION GUIDANCE

Goshen Flood Resilience Plan Implementation Guidance

This table is meant to be help prioritize and track implementation progress of flood resilience strategies. As circumstances change, the timeline for implementation will change and some flood resilience strategies may get implemented sooner and others later than listed below. Implementation is dependent on available funding and staff resources. This table should be reviewed and updated at least annually with the flood resilience checklist in Appendix 2.

FLOOD RESILIENCE STRATEGY	IMPLEMENTATION STEPS	REPORT REFERENCE	IMPLEMENTATION LEAD	IMPLEMENTATION TIMELINE				COMPLETED
				Short-term (1-5 yrs)	Mid-term (5-10 yrs)	Long-term (10+ yrs)	Ongoing	
COMPREHENSIVE PLAN								
Add a discussion on flooding, climate change, and flood resilience planning areas to the Comprehensive Plan.	<ul style="list-style-type: none">Draft language from Flood Resilience Plan (Chapter 1 and Section 4.3)Incorporate into next plan update (Natural Environment)	5.6	Planning		X			
STORMWATER ORDINANCE								
Customize and adopt the LTAP Model Stormwater Ordinance and Technical Standards and include requirements for fluvial erosion hazard areas, channel protection volume, compensatory flood storage, low impact development/green infrastructure and climate change.	<ul style="list-style-type: none">Review model language from LTAPCustomize to meet local needs and resourcesAdopt ordinance into City Code (Title 6, Article 6: Stormwater)May require assistance from a consultant	5.1	Engineering	X				
Adopt standalone fluvial erosion hazard regulations to prohibit and if not possible, discourage new development and redevelopment in this area or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standards recommendation.	<ul style="list-style-type: none">If not included in stormwater ordinance and technical standards, draft language for fluvial erosion hazard regulationsAdopt language into City Code (Title 6, Article 6: Stormwater)May require assistance from a consultant	6.1.1	Engineering	X				
Adopt a standalone minimum 3:1 compensatory flood storage requirement or include it as part of the customized LTAP Model Stormwater Ordinance and Technical Standard recommendation.	<ul style="list-style-type: none">If not included in stormwater ordinance and technical standards, draft language for compensatory flood storage requirementsAdopt language into City Code (Title 6, Article 6: Stormwater)May require assistance from a consultant	6.2.2	Engineering	X				
CITY CODE AND ZONING ORDINANCE – LANDSCAPE STANDARDS								
Expand the tree preservation language in the Zoning Ordinance to include replacement of trees lost to development. Consider a tree mitigation ratio of 5:1 based on tree size and require a variety of native species to reduce the risk of mass tree casualties from future pest damage.	<ul style="list-style-type: none">Draft language to specify tree species, size, etc. and agreed upon ratio for replacementAdopt language into Zoning Ordinance (Article V, Section 5000: Landscape Requirements); refer to updated native tree list in City Code (5.4)	5.4	Planning Environmental Resilience	X				
Promote the use of native plants in the Zoning Ordinance by requiring a high percentage to meet the landscape standards and update the recommended tree list in the City Code to include more native species and cultivars.	<ul style="list-style-type: none">Draft language to encourage use of more natives, list speciesAdopt language into Zoning Ordinance (Article V, Section 5000: Landscape Requirements)Adopt tree list into City Code (Title 6, Article 8: Trees)	5.4	Planning Environmental Resilience	X				
Allow vegetated green infrastructure practices, including parking areas, to count toward landscape requirements in the Zoning Ordinance.	<ul style="list-style-type: none">Draft language to incentivize green infrastructureCoordinate with stormwater green infrastructure standardsAdopt language into Zoning Ordinance (Article V, Section 5000: Landscape Requirements)	5.4	Planning Stormwater	X				

FLOOD RESILIENCE STRATEGY	IMPLEMENTATION STEPS	REPORT REFERENCE	IMPLEMENTATION LEAD	IMPLEMENTATION TIMELINE				COMPLETED
				Short-term (1-5 yrs)	Mid-term (5-10 yrs)	Long-term (10+ yrs)	Ongoing	
ZONING ORDINANCE – FLOOD CONTROL DISTRICT								
Update flood resilience planning areas based on updated FIRM information.	<ul style="list-style-type: none">Compare updated FIRM boundaries and revise the flood resilience planning areas accordingly	5.4	Planning Environmental Resilience	X				
Amend the Flood Control District regulations to require new critical facilities to be located outside of known flood hazard areas only, including the 0.2% AEP flood zone. If placement of new critical facilities in flood hazard area is unavoidable, the facility, including access, should be protected to at least one foot above the 0.2% AEP flood elevation.	<ul style="list-style-type: none">Draft language specifying location and access to critical facilitiesAdopt language into Zoning Ordinance (Article IV, Section 4270: Flood Control District)	5.4 6.3.1 6.5.3	Planning		X			
Amend the Flood Control District regulations to prohibit and if not possible, discourage new development and redevelopment in the floodway and undeveloped high flood hazard storage areas in the floodway fringe.	<ul style="list-style-type: none">Draft language to direct growth outside flood hazard areasAdopt language into Zoning Ordinance (Article IV, Section 4270: Flood Control District)	5.4 6.1.2 6.2.1	Planning		X			
Discourage new development and preserve the 0.2% AEP flood zone for additional flood storage for extreme flood events.	<ul style="list-style-type: none">Draft language to preserve flood storage for extreme eventsAdopt language into Zoning Ordinance (Article IV, Section 4270: Flood Control District)	6.3.1	Planning			X		
Require new development and redevelopment in the 0.2% AEP flood to have a flood protection grade equal to or greater than that required in SFHA (a minimum of two feet above the 1% AEP).	<ul style="list-style-type: none">Draft language to set flood protection gradeAdopt language into Zoning Ordinance (Article IV, Section 4270: Flood Control District)	6.3.2	Planning		X			
Guide growth and development including utilities and infrastructure to safer areas outside the SFHA, 0.2% AEP flood zone and localized flooding areas.	<ul style="list-style-type: none">Draft language direct growth and development outside known flood hazard areasAdopt language into Zoning Ordinance (Article IV, Section 4270: Flood Control District)	6.5.1	Planning Redevelopment Engineering		X			
ZONING ORDINANCE – LAND USE								
Promote development that is sensitive to the natural environment through conservation design and development.	<ul style="list-style-type: none">When reviewing site plans, offer suggestions to protect natural areas, minimize impervious footprint and onsite stormwater managementEncourage use of planned unit development in the Zoning Ordinance for more innovative development options (Article IV, Section 4250) and low impact development in proposed stormwater standards update (5.1)	6.5.2	Planning Engineering Stormwater				X	
CAPITAL PROJECTS - REDEVELOPMENT								
Focus redevelopment efforts (site preparation, remediation and public infrastructure) in locations that are designated as safe growth areas outside the 0.2% AEP floodplain and local flooding areas.	<ul style="list-style-type: none">Identify safe growth areas; include these in the Future Growth Plan (5.7)Prioritize redevelopment efforts in safe growth areas	5.7	Redevelopment	X				
Consider climate change and flood impacts in capital projects; promote low impact development/green infrastructure to manage stormwater.	<ul style="list-style-type: none">Be concerned about future climate conditions and use sustainable stormwater management practices on redevelopment projects	5.7	Redevelopment	X				

FLOOD RESILIENCE STRATEGY	IMPLEMENTATION STEPS	REPORT REFERENCE	IMPLEMENTATION LEAD	IMPLEMENTATION TIMELINE				COMPLETED
				Short-term (1-5 yrs)	Mid-term (5-10 yrs)	Long-term (10+ yrs)	Ongoing	
CAPITAL PROJECTS – LAND ACQUISITION								
Continue to acquire available land in the SFHA for flood storage and compatible open space uses; build on the city-owned parkland along the Elkhart River and create a Central Park like amenity for the city and region.	<ul style="list-style-type: none">Identify and prioritize desirable parcels in the SFHA; determine land ownership and availabilityAs resources allow, continue to acquire land and connect active and passive park properties and natural areas	5.7 6.1.2 6.2.1	Redevelopment				X	
Acquire and demolish structures in the river corridor impact area first then acquire and demolish structures outside the river corridor impact area and inside the SFHA as properties become available and funding allows.	<ul style="list-style-type: none">Inventory and prioritize structures for acquisition and demolition using the Voluntary Acquisition Plan (6.4.4)Secure funding through FEMA’s Building Resilient Infrastructure and Communities (BRIC) grant programMay require additional staff to implement	6.4.4 6.4.5	Redevelopment			X		
COMMUNICATION, EDUCATION AND TRAINING								
Train city stormwater inspection and maintenance staff about green infrastructure practices to improve function, performance and appearance.	<ul style="list-style-type: none">Conduct regular trainings for field crews responsible for inspection and maintenance of green infrastructure practices; emphasize preventative maintenanceCross train all field crews on basic green infrastructure function to provide early detection of a problemRequire green infrastructure to be designed with ease of maintenance in mind (access, limited plant varieties, etc.)May require assistance from a consultant	5.1	Stormwater	X				
Expand current flood communication efforts and develop a flood risk education and outreach program to improve people’s risk awareness and motivate them to take measures to protect themselves and their property.	<ul style="list-style-type: none">Use ASFPM and other resources (Appendix 3) to develop a flood risk communication program	5.2	Mayor’s Office	X				
SUPPORTING EFFORTS AND PARTNERSHIPS								
Complete the Flood Resilience Checklist at least annually to track progress made and continue to do so until all questions are marked “yes”.	<ul style="list-style-type: none">Annually reconvene the project team from the Flood Resilience Plan to compete the checklist (Appendix 2)Review implementation progress on these flood resilience strategies (this table)	5.3	Environmental Resilience				X	
Cross-reference the Flood Resilience Plan, Comprehensive Plan, Redevelopment Capital Plan and Elkhart County MHMP for strategies and mitigation measures related to flooding, growth and development priorities.	<ul style="list-style-type: none">As plans are updated, review for consistencyUpdate plans with new information as it becomes available	5.6 5.7 5.8	Environmental Resilience Planning Redevelopment County EMA				X	
Ensure the City of Goshen is represented in the MHMP five-year update.	<ul style="list-style-type: none">Contact the County EMA to express interest to participate and share how implementation of this Flood Resilience Plan meets many of the mitigation strategies listed in the MHMP (5.8)	5.8	Planning Public Safety County EMA				X	

FLOOD RESILIENCE STRATEGY	IMPLEMENTATION STEPS	REPORT REFERENCE	IMPLEMENTATION LEAD	IMPLEMENTATION TIMELINE				COMPLETED
				Short-term (1-5 yrs)	Mid-term (5-10 yrs)	Long-term (10+ yrs)	Ongoing	
SUPPORTING EFFORTS AND PARTNERSHIPS – PLANS, PROGRAMS AND STUDIES								
Work with the County to study and update the stormwater utility rate collectively, otherwise complete an independent Stormwater Utility Rate Study that includes stormwater program costs and a fair and equitable rate structure; update the stormwater utility accordingly within the City of Goshen.	<ul style="list-style-type: none">• Meet with the County to discuss their intentions and participate if a countywide rate study and rate increase is being considered• If working with the County is not an option, prepare a rate study and identify a rate that meets current and future stormwater needs; explore options for billing• <i>May require assistance from a consultant</i>	5.5	Stormwater	X				
Incorporate the flood resilience planning areas into the proposed Future Growth Plan.	<ul style="list-style-type: none">• Analyze need and type of growth, industry trends• Identify and prioritize areas for growth outside the SFHA and 0.2% AEP flood zone• Document implementation timeline and funding• <i>May require assistance from a consultant</i>	5.7	Redevelopment Planning	X				
Identify willing landowners of undeveloped land in the SFHA and partner them with entities willing to purchase, accept donations or hold conservation easements.	<ul style="list-style-type: none">• Identify and prioritize undeveloped land in the SFHA• Facilitate a meeting with landowners and conservation entities (USDA, NRCS, IDNR, SWCD and land trusts)• <i>May require assistance from a consultant</i>	6.1.2 6.2.1	Environmental Resilience Redevelopment				X	
Prepare a Flood Response Plan that documents flood detection, warning, response and follow-up protocols	<ul style="list-style-type: none">• Correlate river flood stages with expected extent and severity of flooding (road closures, flooded areas, evacuations, etc.)• Document procedures and protocols for flood response notification, communication and expected actions• Adopt, maintain and periodically test procedures in plan• <i>May require assistance from a consultant</i>	6.4.2	Mayor’s Office	X				
Prepare a comprehensive citywide Stormwater Master Plan to understand and resolve drainage, flooding and water quality conditions citywide.	<ul style="list-style-type: none">• Identify existing and future problem areas; complete analysis and recommend structural and nonstructural solutions; conduct detailed evaluation, costs and funding; prioritize solutions for implementation• Prepare report summarizing findings• <i>May require assistance from a consultant</i>	6.4.2	Stormwater Engineering	X				
Upon implementation of flood resilience strategies, participate in the NFIP Community Rating System (CRS) program to reduce flood risk and improve flood resiliency and reduce flood insurance premiums for all flood insurance policy holders within the city.	<ul style="list-style-type: none">• Review CRS materials and meet with ISO representative to discuss potential points• Assemble initial application• Once enrolled, gather documentation for annual recertification and 5-year cycle visit• Annually revisit CRS checklist and look for opportunities to improve score (and flood insurance premium savings)	6.4.3	Planning			X		

FLOOD RESILIENCE STRATEGY	IMPLEMENTATION STEPS	REPORT REFERENCE	IMPLEMENTATION LEAD	IMPLEMENTATION TIMELINE				COMPLETED
				Short-term (1-5 yrs)	Mid-term (5-10 yrs)	Long-term (10+ yrs)	Ongoing	
Prepare a Voluntary Acquisition Plan to prioritize structures for relocation and/or buyout in the vulnerable developed area	<ul style="list-style-type: none"> Inventory structures in flood hazard areas; prioritize based on inside/outside river corridor impact area and depth of flooding <i>May require assistance from a consultant</i> 	6.4.4 6.4.5	Redevelopment Planning Stormwater		X			
Create a Floodproofing Assistance Program to prioritize nonresidential structures for floodproofing, establish partnerships with willing landowners and secure available funding.	<ul style="list-style-type: none"> Inventory nonresidential structures in flood hazard area; identify appropriate dry and wet floodproofing methods Establish partnerships with willing landowners Secure funding through FEMA BRIC grant program <i>May require assistance from a consultant</i> 	6.4.5	Planning			X		
Implement a Flood Compliance Program to encourage owners of nonconforming uses to voluntarily meet flood regulations.	<ul style="list-style-type: none"> Identify noncompliant structures in flood hazard area Meet with interested landowners and secure funding through FEMA BRIC grant program <i>May require assistance from a consultant and/or additional staff to implement</i> 	6.4.6	Planning			X		
SUPPORTING EFFORTS AND PARTNERSHIPS – COUNTY PARTNERSHIPS								
Support (non-monetary) SWCD programs upstream in the watershed to improve flood resiliency in the City of Goshen.	<ul style="list-style-type: none"> Be aware of SWCD efforts and look for opportunities to connect landowners and support implementation of their programs 	6.6.3	Stormwater				X	
Partner with the County Surveyor to investigate methods to store flood water in the watershed, in flood control facilities, two-stage ditches or similar, to reduce flooding downstream.	<ul style="list-style-type: none"> Identify regulated drains upstream of Goshen Determine maintenance and reconstruction schedule; discuss options for regional facilities, two-stage ditch or similar 	6.6.4	Stormwater		X			
SUPPORTING EFFORTS AND PARTNERSHIPS – WATERSHED PARTNERSHIPS								
Partner with the USGS to add a new gage upstream of Goshen to improve flood detection and provide early warning through the NWS.	<ul style="list-style-type: none"> Work with the USGS to determine the location for a new gage Secure funding with partners in watershed to support placement and long-term maintenance of new gage 	6.6.1	Stormwater		X			
Partner with the NWS to expand the capabilities of the Elkhart River at Goshen gage to provide daily forecast information.	<ul style="list-style-type: none"> Work with NWS to discuss options and costs associated with expanding capabilities of gage 	6.6.1	Stormwater		X			
Participate in the Elkhart River Restoration Association and the St Joseph River Basin Commission planning activities and studies that help slow, spread and infiltrate flood water upstream in the watershed.	<ul style="list-style-type: none"> Network with watershed groups and collaborate on efforts to manage stormwater and reduce flooding 	6.6.2	Stormwater				X	
Partner with the St Joseph River Basin Commission to define a natural resource overlay zone and support local adoption throughout the basin.	<ul style="list-style-type: none"> Work collectively to delineate and define the zone (forested areas, wetlands, urban tree canopy, etc.); identify landowners and conservation entities (USDA, NRCS, IDNR, SWCD and land trusts); work to limit encroachment and fragmentation Manage overlay zone within city 	6.6.2	Environmental Resilience Stormwater Planning			X		
Work with the St Joseph River Basin Commission to promote adoption of comprehensive No-Adverse-Impact (NAI) development ordinance and standards, as reflected in the LTAP Model Stormwater Ordinance and Technical Standards, by all counties and communities within the watershed.	<ul style="list-style-type: none"> Participate in drafting NAI ordinance and standards with other entities in watershed Compare with language adopted through implementation of this Flood Resilience Plan and update/amend if needed 	6.6.2	Environmental Resilience			X		