2022 WATER SAMPLING REPORT FOR SELECTED MS4 SITES

PREPARED BY ELISE PFAFF, REHS
MS 4 ENVIRONMENTALIST II
ELKHART COUNTY HEALTH DEPARTMENT
ENVIRONMENTAL DIVISION

IN-STREAM SAMPLING PROTOCOLS FOR MS4 SITES

Beginning the third week of May and ending the third week of September, the Environmental Health Division conducted surface water testing on a weekly basis throughout the county on ditches, creeks, lakes, and the Elkhart River. The sampling provides data to help prioritize sites with a high illicit discharge potential, characterizes water quality problems, helps determine critical areas for improvement, and documents the long-term success of the illicit discharge and elimination program.

The sites are selected by storm water representatives from the MS4 Partnership which include the cities of Elkhart and Goshen, the town of Bristol, and Elkhart County agencies which meet annually to determine if changes need to be made to the locations. The standard procedure is to obtain a minimum of three years of data per site in order to identify any trends. The following is a list of the sites from the 2022 season:

Baugo Creek: CR 3

Berlin Court Ditch: CR 15 Christiana Creek: CR 4 Dausman Ditch: CR 19

Harverstick-Darkwood Ditch: CR 7; site was added August 11th as part of a community wide sewer

project

Pine Creek: CR 18 and CR 20 Rock Run Creek: CR 34 Swoveland Ditch: CR 19 Turkey Creek: CR 46 Weaver Ditch: CR 13

Yellow Creek: CR 32 and CR 138

Elkhart River: CR 127 and Indiana Avenue (Goshen)

Little Elkhart River: CR 35

Heaton Lake: Ideal Beach and 22880 Lake Shore Drive Simonton Lake: 51093 Beach Drive and 51330 SR 19

The sampling form includes whether the sample was considered wet or dry. A wet weather event is defined as a rain event with precipitation greater than .1 inches of rain within a twenty-four hour period prior to collection. A dry weather event is defined as a sampling event with no precipitation twenty-four hours prior to collection. Monitoring during both types of events provides representative samples and helps identify how differences in land use impact water quality.

Data gathered for chlorides, dissolved oxygen, pH, temperature, and conductivity are obtained in the field by using a YSI Professional Plus Instrument Probe. Calibration of the instrument probe is done in accordance with the owner's manual. The instrument probe is lowered into the approximate center part of the waterway and placed below the surface of the water to obtain actual real time data. At the sites with piers (Heaton Lake and Simonton Lake) the instrument probe is lowered into the water at the end of the piers. According to the technical experts at YSI, this information is to be used for trending purposes only.

Tests for nitrates, phosphorus, total suspended solids, and E. coli are grab samples in which a single volume of water is obtained at a given point in time, placed in a prepared sample bottle, and then analyzed. Water samples were collected using one of two methods. For low flow sampling and sites

with piers, a dipper was used. The dipper is rinsed three times at each site prior to collection to prevent cross contamination between samples sites. For high flow streams, a Van Dorn sampler is used. The device is lowered into the approximate center of the waterway and placed below the water surface for a minimum of twenty seconds with the ends open to allow rinsing of the unit between sampling sites. A weight is then dropped on a line striking a triggering mechanism which tightly closes each end of the tube at the same time. This captures the free-flowing water to be sampled. All samples are placed in pre-labeled and prepared sample bottles.

Nitrates and phosphorus samples are collected for analysis in the Elkhart County Health Department Laboratory using a Hach portable spectrophotometer. Chain of custody procedures are required and implemented. These include labeling the bottles with the sample site number and all other information as recorded on the water sampling form. Items on the water sampling form include the sampling site identification, sampling date and time, sampling number, dry or wet event, raining at the time of collection, and "ECHD" as the agency that collected the sample.

Total suspended solids collected on Tuesday are analyzed at the Elkhart Public Works and Utilities Laboratory. On Thursday, total suspended solids are collected and submitted for analysis at the Goshen Wastewater Treatment Plant Laboratory. Total suspended solids are not collected at the lake sites. All E. coli samples are submitted to the Elkhart Public Works and Utilities Laboratory which provides the bottles and a pre-printed label. This label is filled out with the site number, location, collection date, who collected the sample, who transported and relinquished the sample. The labels are attached to the sample bottle. Upon arrival at the Elkhart Public Works and Utilities Laboratory, time is also added to the label. The label includes a space to acknowledge who received the sample. The Elkhart County Health Department's water sampling form is also signed by an Elkhart laboratory representative with the time of sample delivery and a copy is made and kept in their laboratory records. This procedure is implemented to verify chain of custody. For the total suspended solids, the samples are collected and placed in pre-labeled containers with the site number, location, date, and who collected the sample. The time is added to the sampling form when the samples are delivered to the City of Goshen Wastewater Treatment Plant Laboratory. Upon delivery, an Elkhart County Health Department representative places the total suspended solids samples into a refrigerated unit to ensure proper temperature requirements before analysis.

All samples collected are immediately placed in a cooler with chill packs as soon as they are obtained in the field in order to maintain proper temperature requirements during transportation per standard methods protocol.

PARAMETER DEFINITIONS AND THEIR IMPORTANCE

CHLORIDES are found in groundwater, streams, and lakes and may be of natural mineral origin or from human or animal sewage, industrial process wastewaters, agricultural fields and roadway deicing salts. It is recommended if very high levels (500 mg/l or more) are found, further investigation should take place to locate the source.

CONDUCTIVITY (SpC) is a measure of how easily electricity flows through water. It is strongly correlated with total dissolved solids. It is useful as a general measure of water quality. Each water body has a fairly constant range of conductivity that can be used for baseline readings. Significant changes in conductivity may be an indicator that a discharge or some other source of pollution has entered the water way. If this occurs, it is recommended that further investigation should take place to locate the source.

DISSOLVED OXYGEN (DO) is considered to be one of the most important parameters of water quality in streams, rivers, and lakes. All aquatic organisms need dissolved oxygen in the water to survive. Stream systems produce and consume oxygen. If more oxygen is consumed than produced, dissolved oxygen levels decline and some organisms move away, weaken, or die. Higher concentrations of dissolved oxygen equate to better water quality. Aquatic life is stressed at levels below 5.0 mg/l and levels below 2 mg/l will not support fish. Dissolved oxygen is very sensitive to temperature. The solubility of oxygen in water decreases as temperature increases. A waste discharge can have a dramatic effect on the oxygen balance of a water body by raising water temperature or introducing pollutants which remove the dissolved oxygen. According to 327 IAC 2-1-6 and the US EPA, the recommended target value is > 6 mg/l and not > 9 mg/l.

E. COLI is a species of fecal coliform bacteria that is specific to fecal matter from humans and other warm-blooded animals. E. coli indicates the possible presence of pathogenic bacteria, viruses, and protozoa that also live in the digestive systems of humans and animals. Their presence in a water body indicate pathogens might be present and that swimming/full body contact recreation can be a health risk. As required by the United States Environmental Protection Agency, total maximum daily load (TMDL) calculations have been established by the Indiana Pollution Control Board (327 IAC 2-1-6 Section 6(d)) for E. coli using membrane filter count and are the following numeric standards:

"Concentrations shall not exceed 125 cfu/100 ml as a geoemetric mean based on not less than five samples equally spaced over a 30-day period nor exceed 235 cfu/100 ml in any one sample in a 30-day period."

NITRATES (NO3) are one of the four forms of nitrogen in the nitrogen cycle. They are essential plant nutrients but in excess amounts they can cause significant water quality problems. Together with phosphorus they can cause increase in plant growth and changes in the types of plants and animals that live in surface water. In turn this affects dissolved oxygen and temperature. Excess nutrients can cause hypoxia which is a condition characterized by low levels of dissolved oxygen when the plants decay. The natural level of nitrates in surface water is typically low, less than 1 mg/l. Sources of nitrates include failing onsite septic systems, runoff from animal manure storage areas, fertilizer runoff from lawns and cropland, wastewater treatment plants and industrial discharges that contain corrosion inhibitors. The US EPA reference level is < 1.5 mg/l.

The **pH** scale measures the logarithmic concentration of hydrogen and hydroxide ions which make up water. Pure water, equal ion concentrations, is neutral with a pH of 7.0. Below 7.0 the water is acidic and above 7.0 the water is alkaline. pH affects many chemical and biological processes in water. The majority of the aquatic organisms survive and thrive at a range of 6.5-8.0. pH outside of this range reduces the diversity of the water way because it stresses the physiological systems of most organisms and can reduce reproduction. Low pH also allows toxic elements and compounds to become soluble and available for uptake by aquatic plants and animals. Some industrial discharges contain very high 12-14 pH or very low 1-3 pH. pH is a good monitoring parameter and significant fluctuations need to be investigated. According to 327 IAC 2-1-6, the target value is > 6 or < 9.

PHOSPHORUS Like nitrogen, phosphorus is an essential nutrient for plants and animals that make up the aquatic food chain. Phosphorus in waterways accelerates plant growth and algae blooms and with their decomposition result in low dissolved oxygen and death of some fish, invertebrates and other aquatic species. There are many natural and human sources of phosphorus. These include soil and rocks, wastewater treatment plants, runoff from fertilized lawns and cropland, failing onsite septic systems, runoff from animal manure storage areas, disturbed land areas and commercial cleaning preparations. Phosphorus is the limiting nutrient in many aquatic environments and very small inputs greatly affect photosynthetic productivity and can initiate a massive bloom of plants and algae in slow moving streams and ponds. These blooms are not desired and have a deleterious effect on the aquatic environments where phosphorus has been enriched. The IDEM 303(d) listing criteria is < 0.3 mg/l.

TEMPERATURE is a very important water quality parameter and influences all biological and chemical reactions. Temperature influences the dissolved oxygen content of the water, the metabolism of all aquatic organisms, the rate of photosynthesis, and the sensitivity of organisms to pollutants such as toxic wastes and parasites. All aquatic organisms have optimal temperatures for their survival. Many factors affect temperature including stream flow, sunlight, shade, water depth, turbidity, bottom color and composition, soil erosion, storm water runoff, and seasonal changes. Temperature is measured in degrees Celsius.

TOTAL SUSPENDED SOLIDS (TSS) are particulates in water and can include many organic and inorganic sources such as silt, decaying plant and animal matter, sewage and industrial wastes. They cause the water to be milky or muddy looking due to the light scattering from very small particles in the water. This is called turbidity. Suspended solids can destroy fish habitat because they can settle to the bottom and smother the eggs of fish and aquatic insects and suffocate newly hatched insect larvae. High levels of suspended solids can clog the gills of fish and reduce their growth rates and reduce dissolved oxygen. Also, pollutants and contaminants adhere to the suspended solids. Total suspended solids are measured in mg/l. There are no numeric standards for total suspended solids however they must meet narrative standards which state in part: "all waters at all times and places, including the mixing zone, shall meet the minimum conditions of being free from substances, materials, floating debris, oil, or scum attributable to municipal, industrial, agricultural, and other land use practices, or other discharges which are in amounts sufficient to injure, be acutely toxic to, or otherwise produce serious adverse physiological responses in humans, animals, aquatic life or plants."

NOTE: The above information was obtained from the United States Environmental Protection Agency (US EPA), the Indiana Department of Environmental Management (IDEM), The Center for Watershed Protection, and Purdue University Department of Agricultural and Biological Engineering.

SAMPING RESULTS, CHARTS AND MISCELLANEOUUS INFORMATION

Appendix 1 contains the water sampling data.

Appendix 2 contains the charts for E. coli and total suspended solids.

SUMMARY AND CONCLUSIONS

According to the United States Environmental Protection Agency, "a water body is considered impaired when a water quality standard is violated, whether through exceedance of a numeric or narrative criterion, impairment of a designated use or violation of anti-degradation policy." The results of the 2022 sampling season continue to indicate E. coli levels in excess of the total maximum daily load of 235 cfu/100 ml at many of the sample sites.

The Elkhart County Regional Sewer District is in the process of a possible sewer utility expansion for the unincorporated areas of Foraker, Southwest and Tecumseh Acres. Years of sampling data have proven unacceptable levels of E. coli entering adjacent waterways in these areas. Pharmaceutical and DNA testing has also been conducted in these areas confirming improperly treated wastewater from failing septic systems contributes to the polluted waterways.

Additionally, sediment transport continues in many waterways depositing sediment and contributing to flow restrictions especially after wet weather events. Visible impairments to the structure of the waterways, the stability of the banks and the clarity of the water were also observed.

All water bodies can assimilate a certain amount of pollution without adverse effects because of the dilution and self-purification capabilities of natural processes. The ability of a water body to mitigate for an organic pollutant, such as E. coli is dependent on many factors such as stream flow, depth, dissolved oxygen, temperature, available sunlight, and time. However, the high levels of E. coli indicate these pathogens are being infused at a rate greater than can be mitigated through natural processes resulting in these higher than acceptable numbers. Results such as these are indicators of illicit discharges entering the water bodies requiring investigation to determine their source and enforce compliance with environmental regulations prohibiting these discharges.

ACKNOWLEDGEMENTS

I would like to thank the vector technicians who assisted with the sampling: Sophie Miller, Aimee Smith, and Willa Beidler. Special recognition also goes to Jessica Daub and Ashley Scholl who trained the vector technicians and assisted with the sampling. Jessica also prepared the E. coli and total suspended solids charts.

Special recognition goes to the laboratory staff at the Elkhart Public Works and Utilities and the Goshen Wastewater Treatment Plant. Their assistance and expertise were instrumental to this effort and is very much appreciated.

APPENDIX 1

PINE CREEK CR 18

WET	Z	Z	Z	>	>	Z	Z	\	Z	Z	Z	Z	Υ.	z	Z	⊁		Z	z
E. COLI	1553	921		1300	8664	1300	1046		1733	980	727	1120	1414	613	1565	11199		579	2420
TSS	3.9	5.4		18.8	124	7.2	5.7		21.4	10.3	19	15	18.2	7.8	11.4	12.2		8.4	7.2
PHOSPHORUS	0.200	0.192	0.301	0.318	1.020	0.237	0.211	0.279	0.380	0.412	0.363	0.289	0.323	0.248	0.100	0.276		0.234	0.254
NITRATES	3.63	3.82	3.70	4.38	7.14	4.01	4.05	3.94	3.65	3.42	3.22	4.04	3.19	4.46	1.22	3.40		3.6	3.7
CHLORIDES	74.22	74.63	30.38	28.40	22.23	37.13	42.27	20.69	34.66	38.98	40.92	38'92	38.19	48.48	49.00	46.19		54.59	41.48
ЬН	8.43	8.60	7.95	7.90	7.80	8.03	8.13	7.98	8.11	8.17	8.07	8.09	8.07	8.15	8.13	8.12		8.24	8.13
SPC	899	671	629	584	434	089	680	643	643	675	630	9/9	589	629	661	647		662	627
DO	6.8	8.5	6.0	5.9	5.5	6.5	8.0	6.2	7.0	7.2	7.2	7.4	6.1	7.6	7.1	7.4	ECTED	7.3	6.8
TEMP	13.2	12.1	17.7	15.9	19.3	16.9	14.4	18.5	18.0	17.6	16.6	17.4	18.7	16.2	15.9	18.1	NO SAMPLE COLLECTED	14.2	15.8
TIME	9:05	8:25	8:40	9:05	8:36	8:30	8:30	10:30	8:22	8:30	8:30	8:25	8:30	8:50	8:40	8:50	NO SAI	8:35	8:30
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

PINE CREEK CR 20

WET	z	z	>	>	z	z	>	z	z	z	z	>	z	z	>	>-	> Z
E. COLI V	816		1300	19863	1203	921		1733	1733	1203	2420	1986	1414	1986	14136	14136	14136
TSS	4.4		22.4	26.3	4.0	2.7		6.0	7.2	7.0	8.0	4.4	6.8	4.7	6.4	6.4	6.4
PHOSPHORUS	0.209	0.373	0.492	0.600	0.308	0.208	0.288	0.381	0.298	0.268	0.341	0.274	0.323	0.118	 0.284	0.284	0.284
NITRATES	4.34	3.87	3.38	4.88	3.99	4.18	3.70	3.95	3.87	3.84	4.21	3.76	4.43	1.26	 3.81	3.81	3.81
CHLORIDES	97.00	24.34	25.27	21.93	30.58	33.96	25.75	28.44	28.97	34.02	30.43	32.50	40.28	35.04	35.16	35.16	35.16
Н	89.8	7.77	7.79	7.66	7.86	7.82	7.76	7.85	7.90	8.00	7.91	7.91	7.91	7.94	7.94	7.94	7.94
SPC	685	089	541	485	670	9/9	619	658	678	671	089	673	695	677	629	629	659
00	6.7	3.9	5.0	4.7	5.5	6.0	4.1	5.2	5.3	5.7	5.6	4.7	4.8	5.6	4.6	4.6 ECTED	4.6 ECTED 5.8
TEMP	11.7	17.5	16.2	19.1	16.5	13.9	18.7	17.5	17.3	16.2	17.2	18.3	16.3	15.9	18.2	18.2 MPLE COLL	:05 18.2 4.6 NO SAMPLE COLLECTED -55 14.5 5.8
TIME	8:35	8:55	9:20	9:00	8:45	8:40	10:50	8:35	8:50	8:50	8:40	8:45	9:10	9:00	9:05	9:05 NO SA	9:05 NO SAI
DATE	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	8/30/2022	8/30/2022

ROCK RUN CREEK CR 34

		-	<u>-</u>	—Т	T	I			— т	1			- 1		1	I	1		1
WET	z	Z	z	>	>	z	Z	>	z	Z	z	z	>	z	z	>		z	z
E. COLI	488	345		1553	81640	1733	921		1733	1733	1553	1203	1986	816	1203	4106		1046	1986
TSS	1.1	4.7		46.4	22.9	3.1	2.9		4.2	4.4	4.0	3.0	4.6	2.3	3.1	5.6		2.6	3.1
PHOSPHORUS	0.141	0.214	0.338	2.440	1.040	0.221	0.158	1.310	0.307	0.279	0.450	0.178	0.853	0.239	0.138	0.294		0.197	0.274
NITRATES	4.89	5.28	5.00	8.27	5.55	5.01	5.61	7.44	5.54	6.02	5.25	5.38	5.05	5.69	1.96	5.80		6.49	5.65
CHLORIDES	106.03	94.05	24.62	19.47	25.93	28.51	34.55	27.82	29.04	30.97	34.58	30.35	34.73	39.13	39.31	39.05		40.19	39.36
ЬН	8.62	8.57	7.77	7.58	7.74	7.85	7.88	7.77	7.90	7.91	7.93	7.91	7.96	8.08	8.01	7.99		8.02	8.06
SPC	732	739	747	465	623	739	798	591	740	738	720	790	702	740	730	720		737	730
00	7.0	6.8	5.1	5.3	6.1	5.5	6.9	5.6	7.7	6.5	9.9	6.8	6.3	7.2	6.9	6.0	ECTED	6.5	6.4
TEMP	12.5	11.6	18.0	16.9	18.3	16.6	13.8	18.9	17.4	17.5	16.4	17.5	18.8	16.3	16.0	18.4	NO SAMPLE COLLECTED	14	15.7
TIME	9:30	9:00	9:05	9:40	9:59	9:05	9:00	11:10	8:55	9:10	9:05	9:00	9:25	9:40	9:25	9:30	NO SA	9:20	9:05
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

LITTLE ELKHART RIVER CR 35

<u> -</u>															_			z	
WET	Z	Z	Z	>	Υ	Z	Z	Y	z	Z	Z	Z	\	Z	z	>		_	Z
E. COLI	326	308		1203	2603	579	727		998	613	980	816	1986	548	770	749		770	461
TSS	4.8	112		38.9	207.3	22.7	12.1		13.8	14.4	21.0	24.0	11.5	5.1	43.0	8.2		3.6	5.6
PHOSPHORUS	0.151	0.950	0.272	0.555	0.731	0.246	0.241	0.573	0.280	0.417	0.376	068:0	0.346	0.246	0.085	0.151		0.184	0.221
NITRATES	3.04	2.85	2.7	2.55	2.62	2.55	2.55	2.19	2.80	2.14	2.74	2.97	2.75	3.03	0.722	2.78		2.79	2.64
CHLORIDES	73.89	67.95	24.48	27.16	48.71	34.91	36.60	21.63	32.33	31.48	32.28	33.61	34.89	39.31	24.11	0		70.5	43.33
ЬН	8.61	8.52	7.71	7.91	7.67	8.07	8.17	7.90	7.83	7.93	8.05	8.09	8.11	8.13	8.02	2.97		7.84	8.22
SPC	683	631	470	598	646	699	664	515	587	641	652	536	643	269	229	674		689	869
00	7.3	9.9	3.0	5.5	2.3	5.5	8.9	5.4	6.5	5.0	6.3	6.1	5.8	6.2	6.8	5.6	ECTED	4.0	6.4
TEMP	14.8	12.9	17.6	16.5	19.8	18.7	15.9	20.0	18.3	19.4	17.4	18.9	19.5	17.6	17.6	19.3	NO SAMPLE COLLECTED	15.0	17.2
TIME	10:00	9:25	9:35	10:10	10:30	9:50	9:30	11:35	9:25	9:40	9:35	9:30	10:00	10:10	10:05	9:55	NO SA	9:55	9:35
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

HEATON LAKE IDEAL BEACH

DATE	TIME	TEMP	00	SPC	PH	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
5/17/2022	10:40	22.2	5.8	342.7	8.84	36.21	0.338	0.057		17	Z
5/24/2022	10:00	19.1	7.3	339.6	8.93	34.52	0.380	0.065		43	Z
5/31/2022	10:00	24.0	7.1	326.9	8.64	12.37	0.351	0.081			Z
6/7/2022	10:40	21.3	7.1	294.5	8.55	9.81	0.264	0.085		99	>
6/14/2022	11:00	27.8	7.0	260.0	8.73	8.50	0.271	0.957		857	Υ
6/21/2022	10:20	27.3	6.0	236.4	8.9	10.75	0.214	0.042		1120	z
6/28/2022	10:15	25.0	5.7	254.7	8.65	11.76	0.264	0.030		6	z
7/5/2022	11:55	26.2	5.3	245.3	8.31	9.13	0.322	0.026			>
7/12/2022	9:50	26.0	7.0	220.1	8.99	10.40	0.255	0.046		42	z
7/19/2022	10:10	28.1	5.4	243.4	8.45	14.54	0.202	0.051		816	Z
7/26/2022	10:05	25.8	4.4	230.6	8.30	14.54	0.276	0.056		1300	z
8/2/2022	10:00	26.7	5.5	243.1	8.39	11.07	0.347	0.041		1414	Z
8/9/2022	10:40	26.7	5.0	225.3	8.42	8.75	0.279	0.074		488	≻
8/16/2022	10:40	25.1	5.4	264.0	8.24	9.61	0.342	0.072		9	z
8/23/2022	10:30	25.0	5.8	240.0	8.64	10.01	0.316	0.141		3255	z
8/30/2022	10:25	25.1	5.9	237.0	8.62	8.47	0.277	0.083		9208	>
9/6/2022	NO SA	NO SAMPLE COLLECT	-ECTED								
9/13/2022	10:25	21.1	5.3	280			0.263	0.103		921	z
9/20/2022	10:05	22.9	5.4	248.4	8.53	17.15	0.302	0.071		102	z

HEATON LAKE 22880 LAKE SHORE DR.

									<u> </u>						· · · · · · · · · · · · · · · · · · ·				
WET	z	z	z	λ	>	z	Z	>-	z	z	z	z	>-	z	z	>		z	z
E. COLI	т	4		38	20	20	Н		Н	10	4	26	9	109	5	22		5	П
TSS																			
PHOSPHORUS	0.062	0.064	0.073	0.076	0.037	0.082	0.050	0.038	0.042	0.041	0.055	0.040	0.047	0.062	0.146	0.064		0.085	0.105
NITRATES	0.333	0.308	0.333	0.266	0.251	0.268	0.245	0.249	0.355	0.311	0.250	0.309	0.264	0.320	0.318	0.314		0.242	0.227
CHLORIDES	44.91	31.44	9.51	11.24	8.01	10.38	12.23	8.48	9.43	12.44	11.47	9.70	20.06	9.94	12.66	6.04		17.03	14.18
ЬН	8.60	8.86	8.48	8.46	8.47	8.29	8.58	8.12	9.11	8.46	8.27	8.35	8.47	8.28	8.16	8.40		8.08	8.51
SPC	399.4	345.0	339.5	308.5	284.4	272.6	266.7	281.9	222.4	248.0	259.0	264.0	256.1	268.0	267.3	251.1		305.1	284.3
00	4.4	6.8	5.6	5.9	6.2	4.1	5.6	3.6	6.0	4.6	4.6	5.5	4.6	4.9	4.3	5.1	ECTED	2.7	6.2
TEMP	19.8	19.3	23.5	21.4	25.6	25.6	23.9	26.3	25.4	26.2	25.6	26.1	26.9	24.1	23.8	23.2	NO SAMPLE COLLECTED	21.1	22.4
TIME	10:50	10:05	10:10	10:50	11:10	10:30	10:20	12:10	10:00	10:20	10:15	10:05	11:00	10:50	10:40	10:35	NO SA	10:40	10:15
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

SIMONTON LAKE 51093 BEACH DR.

WET	z	z	z	⋆	Υ	z	Z	Υ	z	z	z	z	Υ	z	z	≻		z	Z
E. CO∐	8	14		261	63	27	21		23	24	14	129	39	42	13	61		43	17
TSS																			
PHOSPHORUS	0.047	0.032	0.099	0.078	0.036	0.051	0.067	0.069	0.055	0.056	0.026	0.047	0.062	0.052	0.235	0.071		0.05	0.034
NITRATES	0.763	0.769	0.548	0.283	0.210	0.142	0.189	0.164	0.308	0.302	0.277	0.310	0.254	0.309	0.193	0.289		0.224	0.166
CHLORIDES	50.03	51.16	16.21	19.95	15.60	19.47	24.30	18.90	22.84	24.62	25.11	23.26	23.46	24.80	29.82	22.95		33.57	29.88
PH	8.72	8.89	8.51	8.77	8.93	9.12	8.66	8.74	8.51	8.42	8.40	8.49	8.41	8.36	8.46	8.33		8.44	8.41
SPC	405.6	368.9	352.8	318.5	294.6	291.7	317.6	303.5	330.2	345.4	342.3	350,4	355.6	373.0	356.3	361.4		377.0	372.6
DO	5.9	7.1	6.7	7.7	7.0	6.9	5.4	5.4	5.2	5.2	5.3	5.7	4.8	5.4	5.2	5.6	ECTED	5.7	4.7
TEMP	21.3	8.3	23.6	21.0	26.6	26.3	23.2	26.6	24.8	26.7	25.0	25.6	26.1	23.2	24.7	24.0	NO SAMPLE COLLECTED	19.2	23.0
TIME	11:00	10:15	10:25	11:05	11:25	10:45	10:30	12:30	10:10	10:30	10:25	10:20	11:10	11:05	10:55	10:50	NO SA	11:00	10:30
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

SIMONTON LAKE 51330 SR 19

	1		.		- 1						- 1					- 1			
WET	Z	z	Z	>	>	Z	z	>	Z	Z	Z	N	Υ	z	z	>		Z	Z
E. COLI	28	31		34	253	16	6		112	36	5	99	7701	15	4	461		43	16
TSS																			
PHOSPHORUS	0.012	0.013	0.045	0.059	0.030	0.037	0.022	0.036	0.031	0.029	0.018	0.017	0.032	0.028	0.203	0.041		0.039	0.027
NITRATES	1.100	1.050	0.931	0.772	0.677	0.547	0.388	0.342	0.424	0.398	0.281	0.293	0.286	0.218	0.149	0.186		0.21	0.226
CHLORIDES	58.31	43.37	17.30	23.34	16.51	20.30	23.72	19.36	22.95	24.61	27.33	24.62	25.63	25.03	25.35	17.08		34.54	27.33
ЬН	8.65	8.86	8.26	8.36	8.62	8.62	8.67	8.28	8.50	8.61	8.56	8.57	8.55	8.67	8.05	7.94		8.57	8.54
SPC	398.8	386.5	397.7	369.3	343.6	347.8	338.0	324.0	334.5	333.5	329.2	332.4	327.0	336.0	351.2	364.4		346	347.7
DO	6.1	6.8	7.2	6.9	6.3	7.7	8.1	6.1	5.7	6.8	5.3	6.0	5.9	6.4	3.4	4.8	ECTED	5.0	5.6
TEMP	21.0	19.0	22.7	21.5	26.0	25.8	24.2	26.1	25.7	26.1	25.5	25.8	26.5	23.6	24.0	23.8	NO SAMPLE COLLECTED	20.9	22.0
TIME	11:10	10:30	10:40	11:20	11:45	10:55	10:40	12:45	10:20	10:40	10:40	10:30	11:20	11:15	11:15	11:00	NO SA	11:15	10:40
DATE	5/17/2022	5/24/2022	5/31/2022	6/7/2022	6/14/2022	6/21/2022	6/28/2022	7/5/2022	7/12/2022	7/19/2022	7/26/2022	8/2/2022	8/9/2022	8/16/2022	8/23/2022	8/30/2022	9/6/2022	9/13/2022	9/20/2022

CHRISTIANA CREEK CR 4

	TEMP	OQ	SPC	PH	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
19.0 6.6	6.6		446.1	8.60	35.79	1.60	0.064	2.3	93	Z
16.8 6.7	6.7		454.1	8.65	34.29	1.61	0.059	3.9	93	Z
20.9 6.3	6.3		452.0	8.12	9.91	1.63	0.083			Z
19.5 6.2	6.2		453.5	8.14	12.37	1.51	0.000	4	328	Υ
24.6 5.9	5.9		445.9	8.12	9.82	1.43	0.058	4	253	>
23.5 5.2	5.2		449.3	8.12	12.90	1.56	0.048	4.4	249	Z
20.0 7.0	7.0		141.7	8.14	15.09	1.75	0.055	3.8	308	Z
23.9 6.5	6.5		426.1	8.13	12.06	1.49	0.086			Υ
23.6 5.9	5.9		404.3	8.13	12.58	1.07	0.103	8.4	248	z
24.3 6.2	6.2		403.1	8.20	14.73	1.01	0.099	5.7	261	z
23.1 6.0	6.0		392.3	8.19	13.72	0.631	0.060	9	186	z
23.4 6.2	6.2		410.7	8.18	13.01	1.08	0.058	3	144	z
23.5 6.7	6.7		410.1	8.22	12.64	1.09	0.035	Н	2420	>
21.9 6.7	6.7		413.0	8.23	14.16	1.05	0.066	2.8	330	z
22.6 6.5	6.5		401.9	8.25	12.67	0.327	1.760	3.2	124	z
22.4 6.7	6.7		413.3	8.23	13.42	1.01	0.070	3.4	162	Υ
NO SAMPLE COLLECTED	CTED									
18.3 6.9	6.9		427.0	8.32	18.35	0.197	0.060	2	122	Z
20.1 6.7	6.7		427.9	8.27	15.86	1.13	0.041	2.8	161	Z

BAUGO CREEK CR 3

OLI WET	36 Y		7																
TSS E. COLI	4.75 1986	_	5.86 461		7														
PHOSPHORUS T	0.417 4.		0.352 5.																
NITRATES	6.54	00.4	4.98	4.98	4.98	4.98	4.98 9.61 5.79	4.98 9.61 5.79 1.21	4.98 9.61 5.79 1.21 8.54	4.98 9.61 5.79 1.21 8.54 2.54	4.98 9.61 5.79 1.21 8.54 2.54 3.12	4.98 9.61 5.79 1.21 8.54 2.54 3.12	4.98 9.61 5.79 1.21 8.54 2.54 3.12 3.87 6.32	4.98 9.61 5.79 1.21 8.54 2.54 2.54 3.12 3.12 3.12 1.71	4.98 9.61 5.79 1.21 8.54 2.54 3.12 3.87 6.32 1.71	4.98 9.61 5.79 1.21 8.54 2.54 2.54 3.12 3.87 6.32 1.71 1.28	4.98 9.61 5.79 1.21 8.54 2.54 3.12 3.87 6.32 1.71 1.28	4.98 9.61 5.79 1.21 8.54 2.54 3.12 3.87 6.32 1.71 1.28 0.569	4.98 9.61 5.79 1.21 8.54 2.54 2.54 3.12 3.12 3.12 1.71 1.29 0.569 1.06
CHLORIDES	111.61	103.42	100.44	103.42	31.18	34.03	31.18 34.03 45.70	34.03 45.70 49.16	31.18 34.03 45.70 49.16 35.74	31.18 34.03 45.70 49.16 35.74 48.60	31.18 34.03 45.70 49.16 35.74 48.60	31.18 34.03 34.03 45.70 49.16 35.74 48.60 48.23 45.73	31.18 34.03 45.70 49.16 35.74 48.60 48.63 45.73	31.18 34.03 45.70 49.16 35.74 48.60 48.23 45.73 58.01	31.18 34.03 34.03 45.70 49.16 35.74 48.60 48.23 45.73 58.01 59.35	31.18 34.03 34.03 45.70 49.16 35.74 48.23 48.23 45.73 59.35 181.79	31.18 34.03 45.70 49.16 35.74 48.60 48.23 45.73 58.01 58.01 59.35 181.79 47.59	31.18 34.03 34.03 45.70 49.16 35.74 48.23 45.73 59.35 181.79 63.89 63.89	31.18 34.03 45.70 49.16 35.74 48.60 48.23 45.73 59.35 181.79 47.59 63.89 63.89
ЬН	8.71	8 54			8.01	8.08	8.01 8.08 8.12	8.08 8.12 8.12	8.01 8.08 8.12 8.10 8.10 7.93	8.08 8.12 8.10 7.93	8.08 8.08 8.12 8.10 7.93 8.15	8.01 8.08 8.12 8.10 7.93 8.15 8.13 8.13	8.08 8.08 8.12 8.10 7.93 8.15 8.15 8.07	8.08 8.12 8.12 8.10 7.93 8.15 8.13 8.07 8.16 8.03	8.01 8.08 8.12 8.10 7.93 8.15 8.13 8.07 8.03 8.03	8.01 8.08 8.12 8.10 7.93 8.15 8.13 8.07 8.03 8.03 8.03 8.03	8.01 8.08 8.12 8.10 7.93 8.15 8.13 8.07 8.03 8.03 8.03 8.05	8.08 8.12 8.12 8.10 7.93 8.15 8.15 8.07 8.07 8.03 8.03 8.03 8.03 8.05 8.05	8.08 8.12 8.12 8.10 7.93 8.15 8.13 8.03 8.03 8.03 8.03 8.03 8.03 8.05 8.05 8.05
SPC	687	688		LLECT				LLECT	LLECT	LLECT				ILECT	ILLECT	LLECT	ILECT	LI ECT	LI ECT
DO	8.9	6.0		Ιö	; — I	; — i	1-1	1 - 	; 	1	1-1 1 1 1 1 1		1-1 1 1 1 1 1 1 1						
TEMP	14.2	16.9		/S ON	NO S/	NO S/ 16.0 23.6	NO SA 16.0 23.6 20.2	NO S/ 16.0 23.6 20.2 19.9	NO S/ 16.0 23.6 20.2 19.9 21.7	NO S/ 16.0 23.6 20.2 19.9 21.7	NO S/ 16.0 23.6 20.2 19.9 21.7 19.5 22.0	NO SA 16.0 23.6 20.2 20.2 19.9 21.7 19.5 22.0	NO S/ 16.0 23.6 20.2 19.9 21.7 19.5 22.0 20.6	NO SA 16.0 23.6 20.2 20.2 21.7 19.5 22.0 20.6 20.6	NO S/ 16.0 23.6 20.2 19.9 21.7 19.5 22.0 20.6 20.6 20.6 20.0	NO SA 16.0 23.6 20.2 20.2 21.7 19.5 22.0 22.0 20.6 21.3 20.0 18.0	NO SA 16.0 23.6 20.2 20.2 21.7 19.5 22.0 20.6 20.6 21.3 20.0 18.0 18.9	NO S/ 16.0 23.6 20.2 21.7 21.7 19.5 20.0 20.0 20.0 18.9 18.9 17.3	NO SA 16.0 23.6 20.2 20.2 21.7 19.5 22.0 20.0 20.6 21.3 20.0 18.0 18.9 19.6 17.3
TIME	8:40	8:30			8:25	8:25	8:25 8:45 8:30												
DATE	5/19/2022	5/26/2022		6/2/2022	6/2/2022 6/9/2022	6/2/2022 6/9/2022 6/16/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/7/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/7/2022 7/14/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/14/2022 7/21/2022 7/21/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/7/2022 7/14/2022 7/28/2022 8/4/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/14/2022 7/21/2022 7/28/2022 8/4/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/14/2022 7/21/2022 7/28/2022 8/4/2022 8/11/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/7/2022 7/21/2022 7/28/2022 8/4/2022 8/11/2022 8/11/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 7/14/2022 7/21/2022 7/28/2022 8/11/2022 8/18/2022 8/18/2022 8/18/2022 8/18/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/14/2022 7/24/2022 7/28/2022 8/4/2022 8/11/2022 8/11/2022 8/11/2022 8/11/2022 8/11/2022 9/1/2022	6/2/2022 6/9/2022 6/16/2022 6/23/2022 6/30/2022 7/14/2022 7/21/2022 7/28/2022 8/11/2022 8/18/2022 8/18/2022 8/18/2022 9/1/2022 9/1/2022

YELLOW CREEK CR 32

											,					, ,			
WET	λ	>		Ϋ́	Z	N	Z	Υ	N	z	Z	γ	Z	Z	N	N	N	Z	Z
E. COLI	2909	836		24196	2420	1120	1203	32550	1120	1414	649	1081	1986	579	613	326	548	998	1553
TSS	10.8	71		29.7	19.25	10.2	6.875	27	13	6.38	3.5	4.5	3.25	12.3	4	17.83	18.25	87.5	2
PHOSPHORUS	0.843	0.819			5.35	0.726	0.642	2.5	0.954	0.887	0.912	0.887	1.41	0.883	1.06	0.995	698.0	0.877	1.26
NITRATES	6.17	5.21			11.60	7.80	1.97	3.57	3.86	3.48	3.54	4.12	2.29	1.92	1.87	0.912	1.85	1.95	1.10
CHLORIDES	147.68	145.24		58.42	50.26	56.89	59.44	55.51	54.42	51.45	00.09	65.82	63.48	64.77	64.65	63.69	75.13	59.49	9.30
ЬН	8:38	8.48		7.82	7.86	7.97	8.00	7.84	7.99	7.97	7.96	7.98	7.94	7.98	7.93	7.94	8.04	8.04	7.17
SPC	793	803	ECTED	836	828	841	821	851	815	790	816	821	812	804	778	745	798	762	292
00	5.7	5.0	NO SAMPLE COLLECT	6.5	5.1	5.5	5.2	2.6	5.5	4.2	5.2	4.4	4.9	5.6	5.1	4.4	5.2	5.8	4.0
TEMP	13.9	16.9	NO SA	15.5	21.4	18.1	18.6	20.2	17.8	20.5	19.5	20.9	18.7	16.9	17.7	18.6	15.9	15.2	16.1
TIME	9:00	8:55		8.45	9:10	8:50	9:00	8:45	8:50	8:55	9:10	8:50	8:50	8:55	8:55	8:50	9:00	9:10	8:50
DATE	5/19/2022	5/26/2022	6/2/2022	6/9/2022	6/16/2022	6/23/2022	6/30/2022	7/7/2022	7/14/2022	7/21/2022	7/28/2022	8/4/2022	8/11/2022	8/18/2022	8/25/2022	9/1/2022	9/8/2022	9/15/2022	9/22/2022

YELLOW CREEK CR 138

TIME TEMP DO SPC	DO		SPC	, ,	ЬН	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
5/19/2022	9:20	13.7	5.70	848	8.6	188.58	12	0.712	2.5	2481	>
5/26/2022	9:10	16.8	3.9	698	8.63	202.28	10.2	0.707	4.0	1043	>
6/2/2022		NO SAI	NO SAMPLE COLLI	LLECTED							
6/9/2022	9:00	15.6	5.8	829	7.64	61.97			17.75	43250	>
6/16/2022	9:25	20.8	4.5	881	7.78	59.27	16.7	14.4	13.4	3255	z
6/23/2022	9:00	17.8	4.5	962	7.95	78.91	14.9	0.809	18.5	4106	Z
6/30/2022	9:15	19.1	4.8	1073	7.99	98.93	6.98	0.993	23	12997	z
7/7/2022	9:00	20.1	5.6	878	7.80	71.800	9.79	0.984	19.3	3654	>-
7/14/2022	9:00	18.0	5.3	1035	7.93	102.71	7.44	1.22	274	14136	Z
7/21/2022	9:10	20.9	4.7	1031	8.00	93.20	8.48	1.01	39.67	6867	z
7/28/2022	9:20	20.0	4.6	935	7.87	91.85	8.72	1.12	16.5	1664	z
8/4/2022	9:10	21.1	5.2	809	8.00	80.23	86.8	1.34	14.5	3255	⋆
8/11/2022	9:00	19.1	3.6	953	7.83	97.45	3.23	1.51	8.83	606	Z
8/18/2022	9:10	17.2	1.7	2123	8.16	145.79	4.06	6.63	969	12033	Z
8/25/2022	9:10	18.2	5.6	1066	7.80	63.40	5.79	1.47	108.5	12997	z
9/1/2022	9:05	18.6	3.7	1130	7.74	83.52	1.59	1.54	20	1112	z
9/8/2022	9:15	16.4	4.1	1091	8.11	144.95	4.74	1.50	21.75	3448	z
9/15/2022	9:25	15.6	4.7	1054	7.81	73.33	4.47	1.94	14.75	2909	z
9/22/2022	9:05	16.4	4.8	1083	7.82	62.81	2.95	2.09	43.5	1211	Z

WEAVER DITCH CR 13

DATE	TIME	TEMP	DO	SPC	ЬН	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
5/19/2022	9:35		not enough w	n water to sample	ample						
5/26/2022	9:25	13.9	3.8	1216	8.03	506.14	7.17	8.8	51.0	135400	>
6/2/2022		√S ON	NO SAMPLE COLLEC	ECTED							
6/9/2022	9:15	15.6	4.2	1173	7.17	123.33			50.7	648800	>
6/16/2022	9:40	16.4	3.2	1390	7.45	130.45	1.34	11.7	54	1119900	z
6/23/2022	9:20	15.9	2.5	1773	2.66	275.57	1.29	11.6	37	104620	Z
6/30/2022	9:30	16.4	0.1	2192	7.22	640.23	0.911	8.49	284	86640	Z
7/7/2022	9:10	18.6	6.0	1497	7.25	326.1	1.12	12.6	101	410600	>
7/14/2022	9:15	17.4	2.3	1319	7.83	211.59	1.36	11.8	138	111990	Z
7/21/2022	9:25	18.1	1.7	2882	7.49	911.36	1.41	13.1	45.5	68670	z
7/28/2022	9:35	18.7	0.4	1544	7.55	303.52	1.48	12.9	81	41060	Z
8/4/2022	9:50	19.4	0.1	1607	7.51	398.89	1.54	11.8	48	1553100	\
8/11/2022	9:15	19.4	2.3	1348	7.54	202.88	1.68	5.22	2016	198630	z
8/18/2022	9:25	18.8	1.3	700	7.61	351.1	1.42	12.0	20	173290	z
8/25/2022	9:30	18.5	1.3	1636	7.70	245.01	1.85	7.3	206	173290	z
9/1/2022	9:20	18.7	0.1	069	7.19	496.61	4.13	12.2	10690	579400	z
9/8/2022	9:30	18.0	1.6	1485	7.91	291.96	8.9	11.0	210	248100	z
9/15/2022	9:45	18.5	2.5	1690	7.77	285.87	0.884	6.19	716	727000	z
9/22/2022	9:20	17.7	1.5	1373	7.78	264.00	0.599	6.51	29	34480	z

BERLIN COURT DITCH CR 15

WET	Υ	≻		\	z	z	z	γ	z	z	z	γ	Z	Z	Z	N	z	Z	z
E. COLI	364	645		15531	488	1120	261	473	326	579	1300	275	980	548	154	387	185	249	111
TSS	4.00	4.88		72	2.5	64	2	11.3	68.5	7.8	3.75	7	7.83	5.4	2.56	3.22	1.44	1.50	5.5
PHOSPHORUS	0.416	0.432			5.51	1.27	0.513	0.983	1.03	1.12	1.01	1.04	0.544	0.37	0.645	1.04	0.803	0.731	0.738
NITRATES	5.63	10.1			6.65	7.48	2.93	2.93	6:29	4.54	5.01	5.47	5.63	9.87	17.9	1.16	8.97	4.69	12.2
CHLORIDES	194.5	246.37		50	177.91	105.77	137.53	54.64	137.93	125.17	93.07	136.7	78.96	134.76	141.14	69.44	196.4	92.48	185.16
ЬН	8.46	8.44		7.60	7.61	7.82	7.89	7.65	7.81	7.91	8.04	7.79	7.41	7.77	7.80	7.83	8.07	8.19	7.99
SPC	777	881	ECTED	548	840	873	1055	619	980	938	754	991	720	884	1015	553	1086	899	1057
00	6.5	5.6	NO SAMPLE COLLECT	5.5	3.1	5.4	5.1	4.3	4.2	3.4	6.5	3.3	4.3	5.3	4.3	4.6	4.8	7.6	4.5
TEMP	15.1	18.3	NO SAI	16.4	24.1	19.3	20.6	21.8	18.9	21.8	21.4	22.8	19.9	18.6	19.2	19.5	17.4	17.7	17
TIME	9:55	9:55		9:40	10:00	9:50	10:00	9:40	9:45	9:50	10:00	9:30	10:00	10:10	10:15	10:10	10:30	11:10	10:15
DATE	5/19/2022	5/26/2022	6/2/2022	6/9/2022	6/16/2022	6/23/2022	6/30/2022	7/7/2022	7/14/2022	7/21/2022	7/28/2022	8/4/2022	8/11/2022	8/18/2022	8/25/2022	9/1/2022	9/8/2022	9/15/2022	9/22/2022

DAUSMAN DITCH CR 19

				т								1		- 1	_		-		 1
WET	>	>		≻	z	Z	z	⋆	Z	Z	Z	λ	Z	Z	Z	Z	z	Z	z
E. COLI	5172	2603		15531	1733	1414	086	1565	1733	1046	4106	5172	1553	2909	7701	461	365	9096	411
TSS	9.2	12.5		20	13	9.5	17.7	6.33	9.5	5	9.7	17.25	16.25	30	11.33	69.33	14.25	22.00	2.25
PHOSPHORUS	0.973	0.787			3.22	1.27	0.326	1.34	0.522	0.991	0.987	0.908	0.651	0.547	1.13	1.13	0.356	1.82	0.386
NITRATES	10.8	7.65			12.9	7.54	2.41	10.40	3.68	4.87	4.54	6.25	7.64	4.68	4.68	1.60	4.71	3.97	4.49
CHLORIDES	130.04	118.9		26.8	41.25	50.81	50.40	50.49	42.10	34.80	57.39	43.22	51.22	52.95	55.25	16.32	30.50	53.37	17.29
РН	8.21	8.34		7.67	7.68	7.81	7.39	7.72	7.53	7.44	7.60	7.52	7.64	7.65	7.54	7.08	7.43	7.71	7.35
SPC	793	798	CTED	818	817	790	757	825	783	763	841	774	814	805	860	801	760	787	762
DO	6.5	3.9	NO SAMPLE COLLECTED	6.2	5.4	7	6.7	5.5	6.2	5.2	5.2	5.2	5.1	6.4	5.5	5.7	6.7	6.3	5.3
TEMP	14.3	16.7	NO SAI	15.3	21.9	17.7	16.6	20.1	15.8	17.1	18.3	17.4	18.6	15.7	15.3	16.4	14.6	15.3	14.5
TIME	10:10	10:10		10:00	10:20	10:10	10:15	10:15	10:00	10:05	10:15	10:15	10:15	10:30	10:30	10:25	10:45	11:25	10:30
DATE	5/19/2022	5/26/2022	6/2/2022	6/9/2022	6/16/2022	6/23/2022	6/30/2022	7/7/2022	7/14/2022	7/21/2022	7/28/2022	8/4/2022	8/11/2022	8/18/2022	8/25/2022	9/1/2022	9/8/2022	9/15/2022	9/22/2022

SWOVELAND DITCH CR 19

00		TEMP [
1409 8.35		1409
898 8.51		868
CTED	MPLE COLLECTED	NO SAMPLE COLLECTED
800 7.68		800
835 7.63		835
833 7.83		833
1357 7.79		1357
892 7.72		892
923 7.86		923
938 7.89		938
967 7.73		296
975 7.71		975
750 7.90		750
870 7.65		870
836 7.17		836
905 7.92		902
1093 7.99		1093
1066 7.76		1066
1086 7.78		1086

TURKEY CREEK CR 46

DATE	TIME	TEMP	00	SPC	ЬН	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
5/19/2022	10:35	14	9	208	8.47	113.26	3.35	0.157	7.90	328	Y
5/26/2022	10:35	17.3	5.4	269	8.55	101.6	1.79	0.182	7.17	243	λ
6/2/2022		NO SA	NO SAMPLE COLLECT	ECTED							
6/9/2022	10:20	16.6	5.3	578	7.91	34.8			37	4352	>
6/16/2022	10:40	23.8	4.5	280	7.82	24.08	2.15	4.11	11.8	548	z
6/23/2022	10:35	19.5	5.2	721	7.93	37.65	2.21	0.183	12.3	345	Z
6/30/2022	10:50	19.9	3.9	732	7.82	37.70	0.965	0.093	3.38	365	z
7/7/2022	10:40	21.3	4.7	611	7.78	27.23	3.37	0.237	10	670	⊁
7/14/2022	10:20	19.6	6.2	714	8.00	38.94	2.17	0.129	5.13	387	z
7/21/2022	10:15	22.5	4.6	692	8.00	33.10	1.98	0.167	7.13	345	z
7/28/2022	10:35	20.5	6.5	673	8.09	36.88	1.82	0.154	5.25	579	z
8/4/2022	10:40	22.1	5.1	969	8.00	36.09	1.91	0.199	5.38	529	Υ
8/11/2022	10:40	20.3	6.4	647	8.01	34.21	3.34	0.221	8.5	579	z
8/18/2022	10:55	18.4	5.7	693	8.04	38.98	1.94	0.133	4.13	365	z
8/25/2022	10:50	19.3	5.4	208	8.06	46.26	2.09	0.169	2.56	649	z
9/1/2022	10:50	19.8	5.2	644	8.11	45.63	0.626	0.18	3.11	308	z
9/8/2022	11:15	17.9	4.0	969	7.81	44.66	2.2	0.192	4.57	308	z
9/15/2022	11:50	17.0	5.5	683	8.10	43.55	1.87	0.184	1.11	345	z
9/22/2022	10:50	18.3	5.3	709	8.09	47.63	2.11	0.156	1.78	387	Z

ELKHART RIVER CR 127

DATE	TIME	TEMP	00	SPC	H	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E. COLI	WET
5/19/2022	10:55	16.8	5.9	260	89.8	83.65	1.68	0.249	7.00	75	Υ
5/26/2022	10:50	18.2	4.8	563	95.8	71.13	1.76	0.225	7.33	127	Υ
6/2/2022		NO SA	NO SAMPLE COLLECTED	ECTED							
6/9/2022	10:30	17.8	5.9	528	7.96	26.16			16.75	703	Υ
6/16/2022	11:00	25.2	5.0	256	7.91	21.33	1.46	5.66	11.5	222	Z
6/23/2022	10:45	22.4	5.0	269	8.01	26.02	1.52	0.331	11.6	285	Z
6/30/2022	11:15	21.6	5.8	265	8.04	24.64	0.852	0.244	5.125	249	N
7/7/2022	10:55	22.5	5.7	547	7.92	23.53	4.08	0.381	21.3	1159	γ
7/14/2022	10:30	22.2	5.5	538	8.02	79.62	1.35	0.256	12	172	Z
7/21/2022	10:40	24.1	5.1	546	8.05	26.52	1.12	0.312	6.67	365	Z
7/28/2022	10:45	22.2	5.4	529	8.05	29.71	1.34	0.401	14	345	Z
8/4/2022	11:00	23.9	6.3	541	8.09	26.95	1.12	0.387	7.29	167	Ϋ́
8/11/2022	10:50	21.3	5.7	260	8.07	31.37	1.50	0.29	5.5	214	Z
8/18/2022	11:05	20.0	6.2	564	8.16	31.47	1.22	0.265	2.88	130	z
8/25/2022	11:00	20.8	6.0	253			1.22	0.257	0.33	166	Z
9/1/2022	11:00	20.8	5.9	564	8.12	30.16	0.579	0.242	2.82	172	Z
9/8/2022	11:30	19.3	0.9	265	8.20	35.08	1.41	0.263	1.0	210	z
9/15/2022	12:00	17.7	7.2	610	8.31	34.31	1.51	0.226	1.11	155	z
9/22/2022	11:00	18.5	5.8	615	8.21	37.18	1.41	0.209	0.44	178	z


ELKHART RIVER INDIANA AVE (GOSHEN)


DATE	TIME	TEMP	00	SPC	PH	CHLORIDES	NITRATES	PHOSPHORUS	TSS	E.COLI	WET
5/19/2022	11:20	16.7	5.7	596	8.54	75.34	1.85	0.194	4.00	24	٨
5/26/2022	11:15	18	09'9	599	8.47	77.97	1.06	0.212	4.75	109	\
6/2/2022		NO SAN	NO SAMPLE COLLECTED	LECTED							
6/9/2022	11:00	17.9	5.8	550	7.99	27.91			1.33	435	Υ
6/16/2022	11:30	25.6	5.4	266	7.88	23.46	1.82	6.84	7.33	125	Z
6/23/2022	11:20	23.5	5.9	602	8.03	28.90	1.35	0.274	7.00	62	Z
6/30/2022	11:35	22.4	6.2	613	8.01	30.89	0.614	0.268	9.125	75	Z
7/7/2022	11:20	23.4	6.1	260	7.91	28.54	3.10	0.311	5.25	562	Υ
7/14/2022	11:15	23.2	8.9	574	8.11	29.30	1.32	0.246	3.75	93	N
7/21/2022	11:05	24.9	5.8	582	8.05	29.60	1.11	0.218	10.5	131	Z
7/28/2022	11:10	22.7	6.5	265	8.06	32.00	1.21	0.202	8.00	172	Z
8/4/2022	11:30	24.4	5.8	574	8.04	32.45	1.41	0.211	3.88	411	Υ
8/11/2022	11:15	22.4	6.4	280	8.04	34.43	2.20	0.235	4.00	129	Z
8/18/2022	11:30	20.9	6.7	809	8.13	39.33	1.28	0.300	2.75	64	Z
8/25/2022	11:30	21.5	6.2	585	7.67	13.36	1.15	0.220	1.33	59	Z
9/1/2022	11:30	21.9	5.6	575	8.09	40.49	0.502	0.229	2.11	66	Z
9/8/2022	12:00	20.8	5.9	628	8.09	40.16	1.25	0.208	0.89	56	z
9/15/2022	12:25	18.2	6.7	615	8.13	40.20	1.45	0.222	1.00	272	z
9/22/2022	11:30	18.9	6.2	635	8.13	33.00	1.30	0.187	10.17	99	z

HAVERSTICK DARKWOOD DITCH CR 7

DATE	TIME	TEMP	DO	SPC	품	CHLORIDES	NITRATES	NITRATES PHOSPHORUS	TSS	E. COLI	WET
8/11/2022	9:45									24196	Z
8/18/2022	9:50	17.8	0.4	1778	7.74	563.82	1.13	5.16	16.5	12997	Z
8/25/2022	9:55	18.3	0.4	2102	70.7	184.36	0.65	5.32	35.5	686700	Z
9/1/2022	9:50	18.6	1.8	1307	7.70	355.00	0.771	4.67	27	6830	Z
9/8/2022	10:00	16.9	0.4	2278	7.53	140.94	0.417	6.71	100	20140	Z
9/15/2022	10:35	16.3	2.8	1631	79.7	293.78	0.816	3.84	12.5	3255	z
9/22/2022	9:45	16.1	2.7	2055	8.06	528	0.916	5.74	17.75	5794	z

APPENDIX 2





APPENDIX 3

Water Quality Targets

Parameter	Target	Source
Dissolved Oxygen	> 6 mg/L and not > 9 mg/L	327 IAC 2-1-6/US EPA
Dissolved Oxygen	> 0 mg/L and not > 3 mg/L	recommendation
Temperature	40-85 degrees F (4.4 – 29.4 C)	MI – R.323.1075
	< 235 CFU/100 ml per single	
	sample and	
Escherichia coli	< 125 CFU/100 ml per the	327 IAC 2-1.5-8
Escrier rema con	geometric mean of 5 equally	327 IAC 2-1.5-8
	spaced samples over a 30 day	,
	period	
Turbidity	< 10.4 NTU	US EPA recommendation (2000)
Total Dissolved Solids	< 750 mg/L	MI – R.323.1051 / 327 IAC 2-1-6
Total Suspended Solids	< 25 mg/L	US EPA recommendation '
Total Phosphorus	< 0.3 mg/L	IDEM 303d listing criteria
Nitrate	< 1.5 mg/L	US EPA reference level (2000)
Nitrate-Nitrite	< 1.5 mg/L	Dodds et al. (1998)
TKN	<0.076 mg/L	Dodds et al. (1998)
Biological Oxygen Demand	< 50%	Hoosier Riverwatch Protocol
рН	> 6 or < 9	327 IAC 2-1-6
macroinvertebrate Index of Biotic Integrity (mIBI)	>23 points / >36 points	Hoosier Riverwatch Protocol / IDEM (2008)
Qualitative Habitat Evaluation Index (QHEI)	> 51 pts	IDEM (2008)
Index of Biotic Integrity (IBI) (fish)	≥ 36 points	IDEM (2006)