



ROUND CORE - PLAN VIEW



SAW CUT - PLAN VIEW



NOTES:

1. CONCRETE MUST COME FROM A PLANT OR BE MIXED BY MECHANICAL MIXER IF MORE THAN ONE VALVE BOX REQUIRES ADJUSTMENT WITHIN A PROJECT AREA. HAND MIXING ALLOWED ONLY IF A SINGLE VALVE BOX REQUIRES ADJUSTMENT WITHIN A PROJECT AREA. CLASS 'A' CONCRETE, 4,000 PSI
2. EXCAVATABLE FLOWABLE BACKFILL IN ACCORDANCE WITH SECTION 213-04 OF THE CURRENT INDOT STANDARD SPECIFICATIONS

VALVE BOX ADJUSTMENT PATCH

NOT TO SCALE

The City Of Goshen
Department of Public Works & Safety
Office of Engineering

204 East Jefferson, Suite 1 Street, Goshen, Indiana 46528
Phone: 574-534-2201 Fax: 574-533-8626
Web: goshenindiana.org

Date Approved By The City Of Goshen Board Of Public Works & Safety and Approved Revisions

03/27/2025

**CITY OF GOSHEN, INDIANA
STANDARD DETAIL**

Drafted By: J. Hoffman	Approved By: D. Sailor, P.E.
Drawing Number: MC-103	