



NO HIGH OR LOW AREAS ALLOWED BETWEEN THE CASTING AND EXPANSION JOINT ALONG GUTTER LINE. IF STANDING WATER IS PRESENT, THE CONTRACTOR MAY BE REQUIRED TO REPLACE THE CURB SECTION TO PROVIDE POSITIVE FLOW TO THE CASTING

PRE-FORMED 1/2" FIBER BOARD EXPANSION MATERIAL, FULL CURB DEPTH AND WIDTH. SINGLE PIECE, NO STACKING OF MATERIAL. NO CONCRETE SHALL BE PLACED OVER THE JOINT. REPLACEMENT OF THE JOINT WILL BE REQUIRED IF EXPANSION MATERIAL IS NOT FULL DEPTH, FULL WIDTH AND/OR IS COVERED BY CONCRETE

## **CURB CASTING EXPANSION JOINT**

NOT TO SCALE

**The City Of Goshen**  
Department of Public Works & Safety  
Office of Engineering

204 East Jefferson, Suite 1 Street, Goshen, Indiana 46528  
Phone: 574-534-2201 Fax: 574-533-8626  
Web: goshenindiana.org

Date Approved By The City Of Goshen Board Of Public Works & Safety and Approved Revisions

03/27/2025

**CITY OF GOSHEN, INDIANA**  
**STANDARD DETAIL**

Drafted By: J. Hoffman  
Approved By: D. Sailor, P.E.

Drawing Number:  
**SW-113**